Page 1 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1168-0101
Product Code: 4612A / F45-2081

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Color BJ Cartridge BC-34e Photo

Product Code: 4612A / F45-2081 **Company Name:** Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands

Use of the Product: Ink for Ink Jet Printer

SECTION 2	COMPOSI	TION/I	NFORMATI	ON ON INGRE	DIENTS		
< Ingredient(s) > Chemical Name / Generic name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene glycol (Contained in black, cyan and magenta ink)	107-21-1 / 203-473-3	2 - 6	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m
Diethylene glycol	111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m
Copper, [29H,31H-phthalocyaninato(2-)- -N29,N30,N31,N32] -, aminosulfonyl sulfo derivs., sodium salts (Contained only in cyan ink)	90295-11-7 / 291-001-7	1 - 3	Xi / R36	Not established	Not established	Not established	Copper and its compounds Inhalable fraction 1.0 mg/m ³
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 3	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m ³	TWA = 400 ppm, 983 mg/m ³ STEL = 500 ppm, 1230 mg/m ³	Not established	200 ppm, 500 mg/m ³
Quinoline derivative (Contained only in magenta ink)	Confidential	1 - 3	Xi / R36	Not established	Not established	Not established	Not established
Tetralithium 6-amino-4-hydroxy-3-[7-sulfonat o-4-(5-sulfonato-2-naphthylazo)- 1-naphthylazo]naphthalene-2,7-d isulfonate (Contained only in black ink)	107246-80-0 / 403-660-1	1 - 3	N / R51/53	Not established	Not established	Not established	Not established
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-79-12	60 - 80	None	Not established	Not established	Not established	Not established

MATERIAL SAFETY DATA SHEET

MSDS #:

IC1168-0101 Product Code: 4612A / F45-2081

Page 2 of 8

< Carcinogen >

Chemical Name CAS# Reference

None

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

A set of four colors ink cartridges. (Black, Cyan, Magenta and Yellow)

All the ink is liquid mixture with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Glycerin mist may cause physical irritation and difficulty breathing.

Over exposure to ethylene glycol, diethylene glycol and/or isopropyl alcohol may cause headache, nausea, dizziness, vomiting, drowsiness, cough and sore throat.

Ingestion:

Ingestion of glycerin, ethylene glycol, diethylene glycol and/or isopropyl alcohol may cause headache, nausea, dizziness, vomiting, drowsiness, abdominal pain, dullness, diarrhea and sore throat.

Eye:

Black, Cyan and Yellow: May cause minimal irritation based on the animal test data of this ink.

Magenta: May cause minimal irritation based on the animal test data of similar composition ink.

(See SECTION 11)

Skin:

Black, Cyan and Yellow: May cause mild irritation and no sensitization based on the animal test data of this ink. Magenta: May be no irritation and no sensitization based on the animal test data of similar composition ink, (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

Canon

MATERIAL SAFETY DATA SHEET

Page 3 of 8 MSDS #: IC1168-0101

Product Code: 4612A / F45-2081

FIRE FIGHTING MEASURES **SECTION 5 Fire Fighting Measures: Extinguishing Media:** CO₂, water, foam or dry chemicals **Unsuitable Extinguishing Media:** None **Special Fire Fighting Procedures:** None **Unusual Fire and Explosion Hazards:** None Fire and Explosive Properties (See also Section 9): **Hazardous Combustion Products:** CO, CO, and NOx **Other Properties:** None **SECTION 6** ACCIDENTAL RELEASE MEASURES **Personal Precautions:** Avoid contact with skin, eyes and clothing. **Environmental Precautions:** Do not release to sewer, surface water or ground water. **Method for Cleaning Up:** Wipe off with wet cloth or paper. **SECTION 7** HANDLING AND STORAGE Handling: Use with adequate ventilation. Avoid contact with skin, eyes and clothing. When contact, wash out immediately. **Storage:** Keep in a cool and dry place. Keep away from heat and flame. Protect from sunlight. Keep out of the reach of children. **Specific Uses:** Ink for Ink Jet Printer. For more information, please refer to the instruction of this product. **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION Exposure Guidelines:** Not established for this ink. (Also refer to SECTION 2) **Engineering Controls:** Use adequate ventilation. **Personal Protection Equipment(s): Respiratory Protection:**

Required ■ Not Required **Eye/Face Protection:** ☐ Required ■ Not Required **Skin Protection:** ☐ Required **⋈** Not Required

Page 4 of 8



MATERIAL SAFETY DATA SHEET Product Code: 4612A / F45-2081

MSDS #: IC1168-0101

SECTION 9 PHYSICAL AND C	HEMICAL PROPERTIES				
Appearance:	Black, cyan, magenta and yellow liquid				
Odor:	Slight odor				
pH:	8.1 - 10.3				
Boiling Point/Range(°C):	Not available				
Melting Point/Range(°C):	Not available				
Decomposition Temperature (°C):	Not available				
Flash Point(°C):	Estimate: 55 - 57 (Tag.closed cup. Do not sustain combustion.)				
Flammable (Explosive) Limits:	Not available				
Autoignition Temperature(°C):	Not available				
Flammability:	Classified as "Combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.				
Explosive Properties:	None				
Oxidizing Properties:	None				
Vapor Pressure :	Not available				
Vapor Density:	Not available				
Density / Specific Gravity:	1.04 - 1.10				
Water Solubility:	Miscible				
Fat Solubility:	Not available				
Partition Coefficient (n-Octanol/Water)	: Not available				
Percent Volatile (%):	60 - 80				
Evaporation Rate:	Not available				
Viscosity (mPa s):	1.6 - 2.5				
SECTION 10 STABILITY AND R	FACTIVITY				
Stability:	■ Stable				
Stability.	Unstable				
Conditions to Avoid:	None				
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents				
Hazardous Decomposition Products:	CO, CO ₂ , NOx and Ammonia				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				



MATERIAL SAFETY DATA SHEET

IC1168-0101 MSDS #: Product Code: 4612A / F45-2081

TOXICOLOGICAL INFORMATION **SECTION 11**

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Black and Cyan: Estimated LD₅₀ > 2500 mg/kg, 0/6 mortalities at 2000 mg/kg (rat) Magenta: [Data of similar composition ink] Estimated LD_{so} > 2500 mg/kg (rat)

OECD Guidelines No.423 (1996)

96/54/EC Method B1 tris

Yellow: Not available

Eye:

Black: Minimal irritant, Maximum Group Mean Score = 3.3, Class 3 (rabbit) Cyan: Minimal irritant, Maximum Group Mean Score = 5.3, Class 3 (rabbit) Yellow: Minimal irritant, Maximum Group Mean Score = 4.7, Class 3 (rabbit)

Magenta: [Data of similar composition ink] Minimal irritant (rabbit)

OECD Guidelines No.405 (1987)

92/69/EEC Method B5

Skin:

Black: Mild irritant, Primary Irritation Index = 0.7 (rabbit) Cyan: Mild irritant, Primary Irritation Index = 1.8 (rabbit) Yellow: Mild irritant, Primary Irritation Index = 0.2 (rabbit) Magenta: [Data of similar composition ink] Non irritant (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

Sensitization:

Black and Cyan: Non sensitizer, Sensitization rate = 0 % (0/9) (guinea pig) Yellow: Non sensitizer, Sensitization rate = 0 % (0/10) (guinea pig) Magenta: [Data of similar composition ink] Non sensitizer (guinea pig) OECD Guidelines No.406 (1992)

96/54/EC Method B6

Mutagenicity:

Ames test: Negative (test strains: S.typhimurium & E.Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1168-0101 Product Code: 4612A / F45-2081

SECTION 12	ECOLOGICAL INFORMATION						
Mobility:	Not available						
Persistence / Degradability:	Not available						
Bioaccumulation:	Not available						
Ecotoxicity:	Tetralithium 6-amino-4-hydroxy-3-[7-sulfonato-4-(5-sulfonato-2-naphthylazo)-1-naphthylazo] naphthalene-2,7-disulfonat (107246-80-0): Fish, Acute Toxicity Test: 96 Hour LC50 560-1000 mg/l, NOEC 560 mg/l (Cyprinus Carpio) OECD Guideline No. 203(1984) & 84/449/EEC Method C1 Daphnia sp., Acute Immobilization Test: 24 Hour EC50 560-1000 mg/l, NOEC 560 mg/l (Daphnia magna) OECD Guideline No.202 (1984) & 84/449/EEC Method C2 Daphnia sp., Acute Reproduction Test: 19-Day NOEC 5.6 mg/l, LOEC 18 mg/l (Daphnia magna) OECD Guideline No.202 (1984) NOEC: No Observed Effect Concentration, LOEC: Lowest Observed Effect Concentration						
Other Adverse Effects: Not available							
SECTION 13	DISPOSAL CONSIDERATION						
Method of Disposa							
	e subject to federal, state and local laws.						
SECTION 14	TRANSPORT INFORMATION						
UN #:	None						
UN Shipping Nam	g Name: None						
UN Classification:	None						
UN Packing Group	p: None						
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No						
Special Precaution	None None						
SECTION 15	REGULATORY INFORMATION						
< EU Information							
Information on the							
R-Phrase:	ication: Not required						
Not required	1						
S-Phrase: Not required	i						
Dangerous Co None	mponent(s):						
Special Precau Not required	itions under 1999/45/EC Annex V:						
Specific Provisions in Relation to Protection of Man or the Environment:							
76/769/EEC:	Not regulated						
(EC)2037/2000	Not regulated						
(EEC)2455/92	Not regulated						
Others:	None						

Page 7 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1168-0101
Product Code: 4612A / F45-2081

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight %

"Ethylene glycol" (107-21-1) (Contained in black, cyan and magenta ink) 2 - 6

"Copper Compounds" (Contained only in cyan ink) 1 - 3 (< 0.35)

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R11 : Highly flammable.

R22: Harmful if swallowed.

R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<Revised information from the previous version>

Entirely revised.

MATERIAL SAFETY DATA SHEET

MSDS #: IC1168-0101
Product Code: 4612A / F45-2081

Page 8 of 8

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EEC)2455/92
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.