Page 1 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1106-0101
Product Code: 0884A / H11-6371

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon BJ FAX Cartridge BX-3

**Product Code:** 0884A / H11-6371 **Company Name:** Canon Europa N.V.

**Address:** Bovenkerkerweg 59-61, 1185 XB, Amstelveen, The Netherlands

Use of the Product: Ink for Ink Jet Printer

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS							
CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK	
56-81-5/ 200-289-5	2 - 6	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established	
111-48-8 / 203-874-3	2 - 6	Xi / R36	Not established	Not established	Not established	Not established	
67-63-0 / 200-661-7	2 - 6	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m <sup>3</sup>	TWA = 400 ppm, 983 mg/m <sup>3</sup> STEL = 500 ppm, 1230 mg/m <sup>3</sup>	Not established	200 ppm, 500 mg/m <sup>3</sup>	
Confidential	2 - 6	None / None	Not established	Not established	Not established	Not established	
7732-18-5 / 231-791-2	65 - 85	None / None	Not established	Not established	Not established	Not established	
	EC #  56-81-5/ 200-289-5  111-48-8 / 203-874-3  67-63-0 / 200-661-7  Confidential	EC# %  56-81-5/ 200-289-5	EC#         %         R-Phrase           56-81-5/ 200-289-5         2 - 6         None / None           111-48-8 / 203-874-3         2 - 6         Xi / R36           67-63-0 / 200-661-7         2 - 6         F / R11 Xi / R36 R67           Confidential         2 - 6         None / None           7732-18-5 /         65 - 85         None / None	EC #         %         R-Phrase         OSHA PEL           56-81-5/ 200-289-5         2 - 6         None / None         (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³           111-48-8 / 203-874-3         2 - 6         Xi / R36         Not established           67-63-0 / 200-661-7         2 - 6         F / R11 Xi / R36 R67         TWA = 400 ppm, 980 mg/m³           Confidential         2 - 6         None / None         Not established           7732-18-5 /         65 - 85         None / None         Not established	EC #         %         R-Phrase         OSHA PEL           56-81-5/ 200-289-5         2 - 6         None / None None / None / None / None / None / None / None / Not established         (as mist) TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³         TWA = 10 mg/m³           111-48-8 / 203-874-3         2 - 6         Xi / R36         Not established         Not established           67-63-0 / 200-661-7         2 - 6         F / R11 Xi / R36 R67         TWA = 400 ppm, 980 mg/m³         TWA = 400 ppm, 983 mg/m³ STEL = 500 ppm, 1230 mg/m³           Confidential         2 - 6         None / None         Not established         Not established           7732-18-5 / 65 - 85         None / None         Not established         Not established	S6-81-5/200-289-5	

IC1106-0101 MSDS #:

Page 2 of 8

MATERIAL SAFETY DATA SHEET Product Code: 0884A / H11-6371

< Carcinogen >

Chemical Name CAS# Reference

None

#### **SECTION 3** HAZARDS IDENTIFICATION

# **EU Classification:**

Not classified as dangerous.

#### **Emergency Overview:**

Ink cartridge containing black liquid ink with slight odor.

### **Potential Health Effects and Symptoms:**

#### **Inhalation:**

No adverse effects are expected under intended use.

Glycerin mist may cause physical irritation and difficulty breathing.

Over exposure to isopropyl alcohol may cause headache, nausea, dizziness, vomiting, drowsiness, cough and sore throat.

### **Ingestion:**

Ingestion of glycerin and/or isopropyl alcohol may cause nausea, drowsiness, dizziness, vomiting, abdominal pain, headache, sore throat and dullness.

#### Eye:

May be no irritation based on the animal test data of this ink. (See SECTION 11)

May cause mild irritation and no sensitization based on the animal test data of this ink. (See SECTION 11)

#### **Chronic Effects:**

Not identified

#### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

#### **SECTION 4** FIRST AID MEASURES

#### First Aid Measures:

#### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eye:

Immediately flush with water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

#### Note to Physicians:

None

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1106-0101 Product Code: 0884A / H11-6371

Page 3 of 8

SECTION 5 FIRE FIG	GHTING MEASURES					
Fire Fighting Measures:						
<b>Extinguishing Media:</b>						
CO <sub>2</sub> , water, foam or dry chemicals						
Unsuitable Extinguishin None	g Media:					
Special Fire Fighting Pro	ocedures:					
Unusual Fire and Explos None	ion Hazards:					
Fire and Explosive Propertie	es (See also Section 9):					
Hazardous Combustion Products:						
CO, CO <sub>2</sub> , NOx and SOx						
Other Properties:						
None						
SECTION 6 ACCIDE	NTAL DELEASE MEASUDES					
	NTAL RELEASE MEASURES					
<b>Personal Precautions:</b>						
Avoid contact with skin, ey Avoid breathing vapor or r						
Environmental Precautions:	illst.					
	urface water or ground water.					
Method for Cleaning Up:	And the of Brown Have					
Wipe off with wet cloth or	naper.					
	Puptur					
SECTION 7 HANDLI	NG AND STORAGE					
Handling:						
Avoid breathing vapor or r						
Avoid contact with skin, ey Use with adequate ventilat	ves and clothing. When contact, wash out immediately.					
	.on.					
Storage: Keep in a cool and dry place	Drotact from sunlight					
Keep away from heat and f						
Keep out of the reach of children.						
Specific Uses:						
Ink for Ink Jet Printer.						
For more information, plea	se refer to the instruction of this product.					
SECTION 8 EXPOSU	RE CONTROLS / PERSONAL PROTECTION					
<b>Exposure Guidelines:</b> Not established for this inl	x. (Also refer to SECTION 2)					
<b>Engineering Controls:</b>						
Use adequate ventilation.						
Personal Protection Equipm	nent(s):					
Respiratory Protection:						
- <b>v</b>	▼ Not Required					
<b>Eye/Face Protection:</b>	Required					
	▼ Not Required					
<b>Skin Protection:</b>	Required					
	➤ Not Required					

Page 4 of 8

Canon

MSDS #: IC1106-0101

MATERIAL SAFETY DATA SHEET

Product Code: 0884A / H11-6371

SECTION 9 PHYSICAL AND C	HEMICAL PROPERTIES		
Appearance:	Black liquid		
Odor:	Slight odor 6.5 - 8.0		
pH:			
<b>Boiling Point/Range(°C):</b>	Not available		
<b>Melting Point/Range(°C):</b>	Not available		
<b>Decomposition Temperature</b> ( ${}^{\circ}$ C):	Not available		
Flash Point(°C):	48.5 (Tag.closed cup. Do not sustain combustion.)		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature ( $^{\circ}$ C):	Not available		
Flammability:	Classified as "Combustible liquid" under OSHA-HCS.  Not classified as "flammable" or "combustible" under FHSA.  Not classified as "flammable" under 1999/45/EC.		
<b>Explosive Properties:</b>	None		
Oxidizing Properties:	None		
Vapor Pressure :	Not available		
Vapor Density:	Not available		
Density / Specific Gravity:	1.04 - 1.10		
Water Solubility :	Miscible		
Fat Solubility:	Not available		
Partition Coefficient (n-Octanol/Water)	): Not available		
Percent Volatile (%):	65 - 85		
<b>Evaporation Rate:</b>	Not available		
Viscosity (mPa s):	1.5 - 2.1		
SECTION 10 STABILITY AND F	REACTIVITY		
Stability:			
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx, Ammonia and SOx		
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur		
Conditions to Avoid:	None		

Page 5 of 8



#### MATERIAL SAFETY DATA SHEET

MSDS #: IC1106-0101
Product Code: 0884A / H11-6371

### SECTION 11 TOXICOLOGICAL INFORMATION

#### **Acute Toxicity:**

#### **Inhalation:**

Not available

#### **Ingestion:**

LD50 > 5000 mg/kg, 0/10 Mortality, a dose level of 5000 mg/kg (rat)

OECD Guidelines No.401 (1981)

84/449/EEC Method B1

16 CFR Sec.1500.3

#### Eye:

Non irritant (rabbit)

16 CFR Sec.1500.42

#### Skin:

Acute dermal irritation:

Mild irritant, Primary Irritation Index = 0.3 (rabbit)

16 CFR Sec.1500.41

## Acute dermal toxicity:

LD50 > 2000 mg/kg, 0/10 Mortality, a dose level of 2000 mg/kg (rat)

OECD Guidelines No.402 (1981) & 84/449/EEC Method B3 & 16 CFR Sec.1500.40

#### **Sensitization:**

Non sensitizer, Sensitization rate = 0 % (0/10) (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

#### **Mutagenicity:**

Ames test: Negative (test strains: S.typhimurium)

Chromosome aberration test: Negative

(test strains: Human peripheral blood lymphocytes &

A Chinese hamster fibroblast cell line isolated from the lung)

# Reproductive Toxicity:

Not available

#### Carcinogenicity:

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### Others:

Not available

Page 6 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1106-0101
Product Code: 0884A / H11-6371

SECTION 12 E	COLOG	ICAL INFORMATION				
<b>Mobility:</b>		Not available				
Persistence / Degrad	ability:	Not available				
Bioaccumulation:		Not available				
<b>Ecotoxicity:</b>		Not available				
Other Adverse Effects:		Not available				
SECTION 13 DISPOSAL CONSIDERATION						
Method of Disposal:  Disposal may be subject to federal, state and local laws.						
SECTION 14 T	RANSPO	ORT INFORMATION				
UN #:	None					
<b>UN Shipping Name:</b>	None					
<b>UN Classification:</b>	None					
<b>UN Packing Group:</b>	None					
Marine Pollutant:	☐ Yes <b>※</b> No	Chemical name (wt%):				
<b>Special Precautions:</b>	None					
SECTION 15 R	EGULA	TORY INFORMATION				
< EU Information >						
Information on the I						
Symbol & Indica R-Phrase:	ition: No	t required				
Not required						
S-Phrase: Not required						
Dangerous Component(s): None						
	ponent(s)	:				
None Special Precaution	ons under	: r 1999/45/EC Annex V: ole for professional user on request.				
None Special Precaution Safety data she	ons under	r 1999/45/EC Annex V:				
None Special Precaution Safety data she	ons under	r 1999/45/EC Annex V: tole for professional user on request. to Protection of Man or the Environment:				
None Special Precaution Safety data she Specific Provisions in	ons under eet availab n Relation	r 1999/45/EC Annex V: sle for professional user on request. n to Protection of Man or the Environment: lated				
None Special Precaution Safety data she Specific Provisions in 76/769/EEC:	ons under eet availab n Relation	r 1999/45/EC Annex V: sole for professional user on request. n to Protection of Man or the Environment: slated				

Canon

# MATERIAL SAFETY DATA SHEET

Page 7 of 8
MSDS #: IC1106-0101

Product Code: 0884A / H11-6371

#### < USA Information >

#### Information on the Label under FHSA:

**Signal Word:** Not required

**Hazard warning:** 

Not required

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

None

**SARA Title III §313:** 

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

## SECTION 16 OTHER INFORMATION

<R phrase list>

R11 : Highly flammable. R36 : Irritating to eyes.

R67: Vapours may cause drowsiness or dizziness.

<Revised information from the previous version>

Entirely revised.



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1106-0101

Product Code: 0884A / H11-6371

Page 8 of 8

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EEC)2455/92
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.