Page 1 of 8

IC1460-0202



MATERIAL SAFETY DATA SHEET

MSDS #: _

Product Code:

0627B

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank CLI-8G

Product Code: 0627B
Company Name: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Use of the Product: Ink for Ink Jet Printer

SECTION 2 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing green liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause slight irritation. (See SECTION 11)

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

MSDS #: _____ Product Code:

IC1460-0202

Page 2 of 8

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	$(as mist)$ $Total dust$ $TWA = 15 mg/m^3$ $Respirable$ $fraction$ $TWA = 5 mg/m^3$	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene urea	120-93-4 / 204-436-4	5 - 10	Xi / R36	Not established	Not established	Not established	Not established
sopropyl alcohol	67-63-0 / 200-661-7	1 - 5	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m ³	TWA = 200 ppm, 492 mg/m ³ STEL = 400 ppm, 984 mg/m ³	Not established	200 ppm, 500 mg/m ³
Pyridone dye	Confidential	1 - 5	Xn / R22	Not established	Not established	Not established	Not established
Glycol	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

< PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC) No 1907/2006.



MSDS #: _ Product Code: IC1460-0202

0627B

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

None

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Other Properties:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing.

In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place. Protect from sunlight.

Keep away from heat and flame.

Keep out of the reach of children.

Specific Uses:

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

Page 4 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: <u>IC1460-0202</u> Product Code: <u>0627B</u>

SECTION 8 EXPOSURE CON	TROLS / PERSONAL PROTECTION				
Exposure Guidelines: Not estab	ned for this ink. (See also SECTION 3)				
	uate ventilation.				
Personal Protection Equipment(s): Respiratory Protection: □ Requi	red 🛮 Not Required				
Eye/Face Protection: Requi	·				
	•				
<u> </u>	red Not Required CHEMICAL PROPERTIES				
Appearance:	Green liquid				
Odor:	Slight odor				
рН:	5 - 8				
Boiling Point/Range(°C):	Not available				
Melting Point/Range(°C):	Not available				
Decomposition Temperature (°C):	Not available				
Flash Point(°C):	60 - 62 (Tag. Closed Cup. Combustion is not sustainable.) (Estimate)				
Flammable (Explosive) Limits:	Not available				
Autoignition Temperature (${}^{\circ}C$):	Not available				
Flammability:	Classified as "combustible liquid" under OSHA-HCS.				
	Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.				
Explosive Properties:	None (Estimate)				
Oxidizing Properties:	None (Estimate)				
Vapor Pressure :	Not available				
Vapor Density:	Not available				
Density / Specific Gravity:	1.0 - 1.1				
Water Solubility:	Miscible				
Fat Solubility:	Not available				
Partition Coefficient (n-Octanol/Water): Not available					
Percent Volatile (%):	60 - 80				
Evaporation Rate:	Not available				
Viscosity (mPa s):	1 - 5				
SECTION 10 STABILITY AND REACTIVITY					
Stability:	☑ Stable ☐ Unstable				
Conditions to Avoid:	None				
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents				
Hazardous Decomposition Products:	CO, CO ₂ , NOx, SOx and Ammonia				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				



MSDS #:

IC1460-0202

Product Code:

TOXICOLOGICAL INFORMATION **SECTION 11**

Acute Toxicity:

Inhalation:

Not available

Ingestion:

 $LD_{50} > 2000 \text{ mg/kg (rat) (Estimate)}$

OECD Guidelines No. 423 (2001), 96/54/EC Method B1 tris

Eye:

Slightly irritating (rabbit) (Estimate)

OECD Guidelines No. 405 (2002), 92/69/EEC Method B5

Skin:

Not irritant (rabbit) (Estimate)

OECD Guidelines No. 404 (2002), 92/69/EEC Method B4

Sensitization:

Non-sensitizer (guinea pig) (Estimate)

OECD Guidelines No. 406 (1992), 96/54/EC Method B6

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: <u>IC1460-0202</u> Product Code: <u>0627B</u>

SECTION 12 EC	COLOGICAL INFORMATION				
Mobility:	Not available				
Persistence / Degradability:	Not available				
Bioaccumulation:	Not available				
Ecotoxicity:	Not available				
Other Adverse Effec	ts: Not available				
SECTION 13 DISPOSAL CONSIDERATIONS Method of Disposal: Disposal should be subject to federal, state and local laws.					
SECTION 14 TR	RANSPORT INFORMATION				
UN #:	None				
UN Shipping Name:	None				
UN Classification:	None				
UN Packing Group:	None				
Marine Pollutant:	☐ Yes Chemical name (wt%): ☐ No				
Special Precautions:	None				
	EGULATORY INFORMATION				
< EU Information >					
Information on the L					
-	Mot required				
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Comp Not required	oonent(s):				
Special Precaution Not required	ons under 1999/45/EC Annex V:				
Specific Provisions in	n Relation to Protection of Man or the Environment:				
(EC) No 1907/200	06 Annex XVII (Restrictions): Not regulated				
(EC) No 2037/200	00: Not regulated				
(EC) No 689/2008	8: Not regulated				
Others:	None				



MSDS #: IC1460-0202
Product Code: 0627B

< USA Information >

Information on the Labelunder FHSA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R11: Highly flammable.

R22: Harmful if swallowed.

R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar ink or the ingredient(s).



MSDS #: _____IC1460-0202

Product Code: 062

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive (EC) No 1907/2006 Annex XVII (Restriction), 1999/45/EC
- EU Regulation (EC) No 2037/2000, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.