0895B



## MATERIAL SAFETY DATA SHEET

MSDS #: Product Code: IC1655-0303

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Tank PFI-102BK

Product Code: 0895B
Company Name: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Use of the Product: Ink for Ink Jet Printer

### SECTION 2 HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

## **Emergency Overview:**

Ink tank containing black liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

### **Potential Health Effects and Symptoms:**

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

## **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

## Eye:

May cause moderate irritation. (See SECTION 11)

## Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

## **Chronic Effects:**

Not identified

## Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

Page 2 of 8 MSDS #: \_\_\_\_\_IC1655-0303

MATERIAL SAFETY DATA SHEET Product Code:

<pre>&lt; Ingredient(s) &gt;   Chemical Name /   Generic Name</pre>	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m <sup>3</sup>	$TWA = 20 \text{ ppm},$ $52 \text{ mg/m}^3$ $STEL = 40 \text{ ppm},$ $104 \text{ mg/m}^3$	10 ppm, 26 mg/m <sup>3</sup>
Ethylene urea	120-93-4 / 204-436-4	5 - 10	Xi / R36	Not established	Not established	Not established	Not established
ubstituted naphthalene sulfonic acid	Confidential	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

## < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

## < PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC) No 1907/2006.



MSDS #: Product Code:

IC1655-0303

0895E

## SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

## **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

#### Note to Physicians:

None

### SECTION 5 FIRE FIGHTING MEASURES

### **Fire Fighting Measures:**

### **Extinguishing Media:**

CO<sub>2</sub>, water, foam or dry chemicals

### **Unsuitable Extinguishing Media:**

None

## **Special Fire Fighting Procedures:**

None

#### **Unusual Fire and Explosion Hazards:**

None

### Fire and Explosive Properties (See also SECTION 9):

#### **Hazardous Combustion Products:**

CO, CO<sub>2</sub>, NOx and SOx

## **Other Properties:**

None

## SECTION 6 ACCIDENTAL RELEASE MEASURES

## **Personal Precautions:**

Avoid contact with skin, eyes and clothing.

Avoid breathing vapor and mist.

#### **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

## **Method for Cleaning Up:**

Wipe off with wet cloth or paper.

## SECTION 7 HANDLING AND STORAGE

#### Handling:

Avoid breathing vapor and mist.

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

### Storage:

Keep in a cool and dry place.

Protect from sunlight.

Keep out of the reach of children.

## **Specific Uses:**

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

MSDS #: <u>IC1655-0303</u> Product Code: <u>0895B</u>

SECTION 8 EXPOSURE CONTR	ROLS / PERSONAL PROTECTION
Exposure Guidelines: Not establish	ned for this ink. (See also SECTION 3)
	e ventilation.
<b>Personal Protection Equipment(s): Respiratory Protection:</b> ☐ Required	Not Required
Eye/Face Protection: Required	
	<u> </u>
<u> </u>	I Not Required  IEMICAL PROPERTIES
Appearance:	Black liquid
Odor:	Slight odor
pH:	8 - 11
<b>Boiling Point/Range</b> (°C):	Not available
<b>Melting Point/Range(°C):</b>	Not available
<b>Decomposition Temperature</b> (°C):	Not available
Flash Point(°C):	None (Estimate)
Flammable (Explosive) Limits:	Not available
Autoignition Temperature ( ${}^{\circ}C$ ):	Not available
Flammability:	Neither flammable nor combustible.
<b>Explosive Properties:</b>	None (Estimate)
Oxidizing Properties:	None (Estimate)
Vapor Pressure :	Not available
Vapor Density:	Not available
<b>Density / Specific Gravity:</b>	1.0 - 1.1
Water Solubility:	Miscible
Fat Solubility:	Not available
Partition Coefficient (n-Octanol/Water)	:Not available
Percent Volatile (%):	60 - 80
<b>Evaporation Rate:</b>	Not available
Viscosity (mPa s):	1-5
SECTION 10 STABILITY AND R	EACTIVITY
Stability:	☑ Stable ☐ Unstable
Conditions to Avoid:	None
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and SOx
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur
Conditions to Avoid:	None

0895B



## MATERIAL SAFETY DATA SHEET

MSDS #: \_\_\_ Product Code:

IC1655-0303

SECTION 11 TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

Inhalation:

Not available

**Ingestion:** 

Not available

Eye:

Moderately irritating (rabbit)

OECD Guidelines No. 405 (2002), 2004/73/EC Method B5

Skin:

Mild irritant (rabbit)

OECD Guidelines No. 404 (2002), 2004/73/EC Method B4

**Sensitization:** 

Non-sensitizer (mouse)

OECD Guidelines No. 429 (2002), 2004/73/EC Method B42

**Mutagenicity:** 

Ames test: Negative (S. typhimurium & E. Coli)

**Reproductive Toxicity:** 

Not available

Carcinogenicity:

Not available

Others:

Not available

MSDS #: IC1655-0303
Product Code: 0895B

SECTION 12 E	COLOGICAL INFORMATION
<b>Mobility:</b>	Not available
Persistence / Degradability:	Not available
Bioaccumulation:	Not available
<b>Ecotoxicity:</b>	Not available
Other Adverse Effec	cts: Not available
	ISPOSAL CONSIDERATIONS
Method of Disposal:  Disposal should be	be subject to federal, state and local laws.
SECTION 14 T	RANSPORT INFORMATION
UN #:	None
<b>UN Shipping Name:</b>	None None
UN Classification:	None
<b>UN Packing Group:</b>	None
Marine Pollutant:	☐ Yes Chemical name (wt%): ☒ No
<b>Special Precautions</b>	: None
SECTION 15 R	EGULATORY INFORMATION
SECTION 15 R < EU Information >	EGULATORY INFORMATION
SECTION 15 R < EU Information > Information on the	EGULATORY INFORMATION Label:
SECTION 15 R < EU Information > Information on the I Symbol & Indica	EGULATORY INFORMATION
SECTION 15 R < EU Information > Information on the I Symbol & Indica R-Phrase:	EGULATORY INFORMATION Label:
SECTION 15 R < EU Information > Information on the I Symbol & Indica R-Phrase: Not required	EGULATORY INFORMATION Label:
SECTION 15 R < EU Information > Information on the I Symbol & Indica R-Phrase:	EGULATORY INFORMATION Label:
SECTION 15 R < EU Information > Information on the I Symbol & Indica R-Phrase: Not required S-Phrase:	EGULATORY INFORMATION Label: ation: Not required
SECTION 15 R < EU Information > Information on the I Symbol & Indica R-Phrase: Not required S-Phrase: Not required Dangerous Com Not required	EGULATORY INFORMATION Label: ation: Not required
SECTION 15 R < EU Information > Information on the I Symbol & Indica R-Phrase: Not required S-Phrase: Not required Dangerous Com Not required Special Precauti	EGULATORY INFORMATION  Label: ation: Not required  ponent(s):
SECTION 15 R < EU Information > Information on the I Symbol & Indica R-Phrase: Not required S-Phrase: Not required Dangerous Com Not required Special Precauti Safety data sh	EGULATORY INFORMATION  Label: ation: Not required  ponent(s): ions under 1999/45/EC Annex V:
SECTION 15 R < EU Information > Information on the I Symbol & Indica R-Phrase: Not required S-Phrase: Not required Dangerous Com Not required Special Precauti Safety data sh Specific Provisions i	EGULATORY INFORMATION  Label: ation: Not required  ponent(s): ions under 1999/45/EC Annex V: eet available for professional user on request.
SECTION 15 R < EU Information > Information on the I Symbol & Indica R-Phrase: Not required S-Phrase: Not required Dangerous Com Not required Special Precauti Safety data sh Specific Provisions i (EC) No 1907/20	EGULATORY INFORMATION  Label: ation: Not required  ponent(s):  ions under 1999/45/EC Annex V: eet available for professional user on request. in Relation to Protection of Man or the Environment:
SECTION 15 R < EU Information > Information on the I Symbol & Indica R-Phrase: Not required S-Phrase: Not required Dangerous Com Not required Special Precauti Safety data sh Specific Provisions i (EC) No 1907/20	EGULATORY INFORMATION  Label: ation: Not required  ponent(s):  ions under 1999/45/EC Annex V: eet available for professional user on request. in Relation to Protection of Man or the Environment: 006 Annex XVII (Restrictions): Not regulated  1000: Not regulated



MSDS #: IC1655-0303 Product Code:

0895B

#### < USA Information >

#### **Information on the Labelunder OSHA HCS:**

**Signal Word:** Not required

**Hazard warning:** 

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

SARA Title III §313:

**Chemical Name** Weight %

"Ethylene glycol" (107-21-1)

California Proposition 65:

**Chemical Name** Weight %

None

< Canada Information >

**WHMIS Controlled Product:** Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

#### OTHER INFORMATION **SECTION 16**

<Information for EU customers>

This safety data sheet (SDS) is not for the professional user described under Directive 1999/45/EC. (See SECTION 15)

<R phrase list>

R22: Harmful if swallowed.

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar ink or the ingredient(s).

Date of Issue: March 15, 2006 July 31, 2009 Revised:

MSDS #: \_\_\_\_\_IC1655-0303

Product Code: 0895B

Page 8 of 8

#### **Literature References:**

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC) No 2037/2000, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### **Abbreviations:**

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.