0898B

Canon

## MATERIAL SAFETY DATA SHEET

MSDS #: \_ Product Code: IC1658-0303

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

COMPANY/UNDERTAKING

**Product Name:** Canon Ink Tank PFI-102Y

Product Code: 0898B
Company Name: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Use of the Product: Ink for Ink Jet Printer

### SECTION 2 HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

# **Emergency Overview:**

Ink tank containing yellow liquid ink with slight odor.

Combustible liquid and vapor.

### **Potential Health Effects and Symptoms:**

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

## **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

## Eye:

May cause slight irritation. (See SECTION 11)

## Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

## **Chronic Effects:**

Not identified

## Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

MSDS #: Product Code:

Page 2 of 8 IC1658-0303

0898B

Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Ethylene urea	120-93-4 / 204-436-4	5 - 10	Xi / R36	Not established	Not established	Not established	Not established
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 5	F / R11 Xi / R36 R67	$TWA = 400 \text{ ppm},$ $980 \text{ mg/m}^3$	TWA = 200 ppm, 492 mg/m <sup>3</sup> STEL = 400 ppm, 984 mg/m <sup>3</sup>	Not established	200 ppm, 500 mg/m <sup>3</sup>
Poly(oxy-1,2-ethanediyl), . lpha.,alpha.'-[1,4-dimethyl 1,4-bis(2-methylpropyl)-2- utyne-1,4-diyl]bis[.omega hydroxy-	9014-85-1 / Not applicable	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Polyethylene glycol	25322-68-3 / Not applicable	1 - 5	None / None	Not established	Not established	Not established	1000 mg/m <sup>3</sup>
Glycol	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not establishe
Glycol	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not establishe
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not establishe

## < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

## < PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC)1907/2006.



MSDS #: Product Code: IC1658-0303

08981

# SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

#### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

#### Note to Physicians:

None

### SECTION 5 FIRE FIGHTING MEASURES

# Fire Fighting Measures:

### **Extinguishing Media:**

CO<sub>2</sub>, water, foam or dry chemicals

### **Unsuitable Extinguishing Media:**

None

## **Special Fire Fighting Procedures:**

None

#### **Unusual Fire and Explosion Hazards:**

None

### Fire and Explosive Properties (See also SECTION 9):

#### **Hazardous Combustion Products:**

CO, CO<sub>2</sub>, NOx and SOx

## **Other Properties:**

None

## SECTION 6 ACCIDENTAL RELEASE MEASURES

## **Personal Precautions:**

Avoid contact with skin, eyes and clothing.

Avoid breathing vapor and mist.

#### **Environmental Precautions:**

Do not release to sewer, surface water or ground water.

## **Method for Cleaning Up:**

Wipe off with wet cloth or paper.

## SECTION 7 HANDLING AND STORAGE

#### Handling:

Avoid breathing vapor and mist.

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

# Storage:

Keep in a cool and dry place. Protect from sunlight.

Keep away from heat and flame.

Keep out of the reach of children.

### **Specific Uses:**

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

MSDS #: <u>IC1658-0303</u> Product Code: <u>0898B</u>

SECTION 8 EXPOSU	RE CONTROLS / PERSONAL PROTECTION				
<b>Exposure Guidelines:</b>	Not established for this ink. (See also SECTION 3)				
	Use adequate ventilation.				
Personal Protection Equipm	ent(s):  Required Not Required				
- ·	☐ Required ☐ Not Required				
<b>3</b>	☐ Required ☐ Not Required				
	1				
SECTION 9 PHYSICA	L AND CHEMICAL PROPERTIES				
Appearance:	Yellow liquid				
Odor:	Slight odor				
pH:	7 - 10				
<b>Boiling Point/Range(°C):</b>	Not available				
Melting Point/Range(°C):	Not available				
<b>Decomposition Temperature</b>	e(°C): Not available				
Flash Point(°C):	60 - 65 (Tag. Closed Cup. Combustion is not sustainable.) (Estimate)				
Flammable (Explosive) Lim	Not available				
<b>Autoignition Temperature</b> (	C): Not available				
Flammability:	Classified as "combustible liquid" under OSHA-HCS.  Not classified as "flammable" or "combustible" under FHSA.  Not classified as "flammable" under 1999/45/EC.				
<b>Explosive Properties:</b>	None (Estimate)				
Oxidizing Properties:	None (Estimate)				
Vapor Pressure :	Not available				
Vapor Density:	Not available				
<b>Density / Specific Gravity:</b>	1.0 - 1.1				
Water Solubility:	Miscible				
Fat Solubility:	Not available				
Partition Coefficient (n-Octa	nol/Water):Not available				
Percent Volatile (%):	60 - 80				
<b>Evaporation Rate:</b>	Not available				
Viscosity (mPa s):	1-5				
SECTION 10 STABILITY AND REACTIVITY					
Stability:	Stable    □ Unstable				
Conditions to Avoid:	None				
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents				
<b>Hazardous Decomposition F</b>	roducts: CO, CO <sub>2</sub> , NOx, SOx and Ammonia				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				



MSDS #: \_\_ Product Code: IC1658-0303

0898B

# SECTION 11 TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

Inhalation:

Not available

**Ingestion:** 

Not available

Eye:

Slightly irritating (rabbit) (Estimate)

OECD Guidelines No. 405 (2002), 2004/73/EC Method B5

Skin:

Mild irritant (rabbit) (Estimate)

OECD Guidelines No. 404 (2002), 2004/73/EC Method B4

**Sensitization:** 

Non-sensitizer (mouse) (Estimate)

OECD Guidelines No. 429 (2002), 2004/73/EC Method B42

**Mutagenicity:** 

Ames test: Negative (S. typhimurium & E. Coli)

**Reproductive Toxicity:** 

Not available

Carcinogenicity:

Not available

Others:

Not available

MSDS #: <u>IC1658-0303</u> Product Code: <u>0898B</u>

SECTION 12	ECOLOGICAL INFORMATION				
<b>Mobility:</b>	Not available				
Persistence / Degradability:	Not available				
<b>Bioaccumulation:</b>	Not available				
<b>Ecotoxicity:</b>	Not available				
Other Adverse Ef	fects: Not available				
SECTION 13 DISPOSAL CONSIDERATIONS Method of Disposal:					
Disposal should	d be subject to federal, state and local laws.				
SECTION 14	TRANSPORT INFORMATION				
UN #:	None				
<b>UN Shipping Nan</b>	None None				
<b>UN Classification</b>	: None				
<b>UN Packing Grou</b>	p: None				
Marine Pollutant:	Yes Chemical name (wt%): No				
Special Precaution	ns: None				
SECTION 15 REGULATORY INFORMATION < EU Information >					
Information on the Label:					
Symbol & Indication: Not required					
R-Phrase:					
Not require	d				
S-Phrase: Not require	d				
Dangerous Co	omponent(s):				
	utions under 1999/45/EC Annex V:				
•	sheet available for professional user on request.				
<b>Specific Provision</b>	s in Relation to Protection of Man or the Environment:				
(EC) No 1907/	2006 Annex XVII (Restrictions): Not regulated				
(EC) No 2037/	2000: Not regulated				
(EC) No 689/2	Not regulated				
Others:	None				



MSDS #: \_\_\_\_\_IC1658-0303

Product Code: 0898B

#### < USA Information >

#### **Information on the Labelunder OSHA HCS:**

Signal Word: Not required

**Hazard warning:** 

COMBUSTIBLE LIQUID AND VAPOR.

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

SARA Title III §313:

Chemical Name Weight %

None

**California Proposition 65:** 

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

## SECTION 16 OTHER INFORMATION

<R phrase list>

R11: Highly flammable.

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

R67: Vapours may cause drowsiness and dizziness.

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar ink or the ingredient(s).

MSDS #: \_\_\_\_\_IC1658-0303

Product Code: 0898B

Page 8 of 8

#### **Literature References:**

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC) No 2037/2000, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.