Page 1 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: Product Code:

IC1743-0303

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank PFI-103GY

Product Code: 2213B
Company Name: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Use of the Product: Ink for Ink Jet Printer

SECTION 2 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing black liquid ink with slight odor.

Vapor or mist may cause respiratory tract and eye irritation.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause minimal irritation. (See SECTION 11)

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects:

No adverse effects are expected under intended use of this product.

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified



MSDS #: _____IC1743-0303 Product Code: 2213B

COMPOSITION/INFORMATION ON INGREDIENTS **SECTION 3** < Ingredient(s) > Weight Chemical Name / CAS#/ EU Symbol/ **USA** ACGIH TLV **EU ILV** DFG MAK R-Phrase OSHA PEL Generic Name EC# % Not established Glycerin 56-81-5 / 5 - 10 None / None Not established (as mist) (as mist) 200-289-5 Total dust $TWA = 10 \text{ mg/m}^3$ $TWA = 15 \text{ mg/m}^2$ Respirable fraction $TWA = 5 \text{ mg/m}^3$ 120-93-4/ 5 - 10 Xi / R36 Not established Ethylene urea Not established Not established Not established 204-436-4 Carbon black 1333-86-4 / None / None TWA = 3.5TWA = 3.5Not established Not established < 1 215-609-9 mg/m³ mg/m³ 112-27-6/ 1 - 5 None / None Not established Not established 1000 mg/m^3 Triethylene glycol Not established 203-953-2 Water 7732-18-5 / 60 - 80 None / None Not established Not established Not established Not established 231-791-2

< Carcinogen > Chemical Name CAS#

Carbon black 1333-86-4 IARC: Group 2B. NTP; OSHA; Part 3 of Annex VI to Regulation (EC) No 1272/2008: Not listed.

Except carbon black, no component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

< PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC) No 1907/2006.

Reference



MSDS #: _ Product Code: IC1743-0303

2213I

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

None

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Other Properties:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes and clothing.

Avoid breathing vapor and mist.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing vapor and mist.

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing.

In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place.

Protect from sunlight.

Keep out of the reach of children.

Specific Uses:

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

Page 4 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1743-0303
Product Code: 2213B

SECTION 8 EXPOSUI	RE CONTRO	OLS / PERSONAL PROTECTION	
Exposure Guidelines:	Not established	d for this ink. (See also SECTION 3)	
	Use adequate v	ventilation.	
Personal Protection Equipme	` ′	My n	
Respiratory Protection:		•	
,	Required	☑ Not Required	
	*	Not Required	
SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	<u> </u>	Black liquid	
Odor:	<u>S</u>	Slight odor	
pH:	8	3 - 9	
Boiling Point/Range(${}^{\circ}C$):	<u>N</u>	Not available	
Melting Point/Range(°C):	<u>N</u>	Not available	
Decomposition Temperature	$e(^{\circ}C)$: \underline{N}	Not available	
Flash Point(°C):	<u>N</u>	None (Estimate)	
Flammable (Explosive) Lim	its: <u>N</u>	Not available	
Autoignition Temperature (°	C): <u>N</u>	Not available	
Flammability:	<u>N</u>	Neither flammable nor combustible.	
Explosive Properties:	<u>N</u>	None (Estimate)	
Oxidizing Properties:	<u>N</u>	None (Estimate)	
Vapor Pressure:	<u>N</u>	Not available	
Vapor Density:	<u>N</u>	Not available	
Density / Specific Gravity:	1	1.0 - 1.1	
Water Solubility:	N	Miscible	
Fat Solubility:	N	Not available	
Partition Coefficient (n-Octanol/Water): Not available			
Percent Volatile (%):	6	50 - 80	
Evaporation Rate:	N	Not available	
Viscosity (mPa s):	1	l - 5	
SECTION 10 STABILITY AND REACTIVITY			
Stability:	D	☑ Stable ☐ Unstable	
Conditions to Avoid:	N	None	
Materials to Avoid:	A	Acids, bases, oxidizing materials and reducing agents	
Hazardous Decomposition P	roducts: C	CO, CO ₂ , NOx and SOx	
Hazardous Polymerization:		☐ May Occur ☑ Will Not Occur	
Conditions to Avoid:	<u>N</u>	None	



MSDS #: _ Product Code: IC1743-0303

2213E

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eye:

Minimal irritant (rabbit) (Estimate)

OECD Guidelines No. 405 (2002), 2004/73/EC Method B5

Skin:

Non-irritant (rabbit) (Estimate)

OECD Guidelines No. 404 (2002), 2004/73/EC Method B4

Sensitization:

Non-sensitizer (mouse) (Estimate)

OECD Guidelines No. 429 (2002), 2004/73/EC Method B42

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

The IARC evaluated carbon black, as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, the amount of inhalation exposure to powdered carbon black is negligible under intended use of this product.

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: <u>IC1743-0303</u> Product Code: <u>2213B</u>

	ECOLOGICAL INFORMATION	
Mobility:	Not available	
Persistence / Degradability:	Not available	
Bioaccumulation:	Not available	
Ecotoxicity:	Not available	
Other Adverse Eff	ects: Not available	
	DISPOSAL CONSIDERATIONS	
Method of Disposal: Disposal should be subject to federal, state and local laws.		
	FRANSPORT INFORMATION	
UN #:	None	
UN Shipping Name		
UN Classification:	None	
UN Packing Group	None None	
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No	
Special Precautions: None		
SECTION 15 REGULATORY INFORMATION		
< EU Information >		
Information on the Label:		
Symbol & Indication: Not required R-Phrase:		
Not required		
S-Phrase: Not required		
Dangerous Cor Not required	mponent(s):	
Special Precautions under 1999/45/EC Annex V:		
Safety data sheet available for professional user on request.		
Specific Provisions in Relation to Protection of Man or the Environment:		
(EC) No 1907/2006 Annex XVII (Restrictions): Not regulated		
(EC) No 2037/2	2000: Not regulated	
(EC) No 689/20	Not regulated	
Others:	None	

Page 7 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: _____IC1743-0303

Product Code: 221

< USA Information >

Information on the Labelunder OSHA HCS:

Signal Word: Not required

Hazard warning:

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R36: Irritating to eyes.

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar ink or the ingredient(s).



MSDS #: IC1743-0303
Product Code: 2213B

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC) No 2037/2000, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.