

Product Code:

#### **IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE SECTION 1 COMPANY/UNDERTAKING** Internal DEL 702W . $\mathbf{C}$

Product Name:	Canon Ink Tank PFI-703 Y
<b>Product Code:</b>	2966B
Company Name:	Canon Europe N.V.
Address:	Bovenkerkerweg 59-61, Amstelveen, 1185XB, The Netherland
Use of the Product:	Ink for Ink Jet Printer

#### **SECTION 2** HAZARDS IDENTIFICATION

### **EU Classification:**

Not classified as dangerous.

#### **Emergency Overview:**

Ink tank containing yellow liquid ink with slight odor. Combustible liquid and vapor.

#### **Potential Health Effects and Symptoms:**

#### Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

#### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

### Eye:

May cause slight irritation. (See SECTION 11)

#### Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

**Chronic Effects:** Not identified

#### Medical Conditions Generally known to be Aggravated by Exposure: Not identified



### MATERIAL SAFETY DATA SHEET

Page 2 of 8

Product Code:

MSDS #: IC1858-0201 2966B

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS < Ingredient(s) >							
Chemical Name / Generic Name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Poly(oxy-1,2-ethanediyl), . alpha.,alpha.'[1,4-dimethyl -1,4-bis(2-methylproyl).2- butyne-1,4-diyl]bis[.omega hydroxy-	9014-85-1 / Not applicable	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 5	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m <sup>3</sup>	TWA = 200 ppm, 492 mg/m <sup>3</sup> STEL = 400 ppm, 984 mg/m <sup>3</sup>	Not established	200 ppm, 500 mg/m <sup>3</sup>
Polyethylene glycol	25322-68-3 / Not applicable	1 - 5	None / None	Not established	Not established	Not established	1000 mg/m <sup>3</sup>
Glycol	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Glycol	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Heterocyclic compound	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

#### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### < PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC)1907/2006.



## **SECTION 4** FIRST AID MEASURES First Aid Measures: Inhalation: If symptoms are experienced, move victim to fresh air and obtain medical advice. **Ingestion:** Rinse mouth. Give one or two glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. Eye: Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately. Skin: Wash with water and soap or mild detergent. If irritation persists, obtain medical advice. Note to Physicians: None **SECTION 5** FIRE FIGHTING MEASURES **Fire Fighting Measures: Extinguishing Media:** CO<sub>2</sub>, water, foam or dry chemicals **Unsuitable Extinguishing Media:** None **Special Fire Fighting Procedures:** None **Unusual Fire and Explosion Hazards:** None Fire and Explosive Properties (See also SECTION 9): **Hazardous Combustion Products:** CO, CO<sub>2</sub>, NOx and SOx **Other Properties:** None **SECTION 6** ACCIDENTAL RELEASE MEASURES **Personal Precautions:** Avoid contact with skin, eyes and clothing. Avoid breathing vapor and mist. **Environmental Precautions:** Do not release to sewer, surface water or ground water. Method for Cleaning Up:

Wipe off with wet cloth or paper.

#### **SECTION 7** HANDLING AND STORAGE

#### Handling:

Avoid breathing vapor and mist.

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. In case of contact, wash out the contaminated area immediately.

#### Storage:

Keep in a cool and dry place. Protect from sunlight.

Keep away from heat and flame. Keep out of the reach of children.

## **Specific Uses:**

## Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

		MCDC #	Page 4 of 8
Canon Mar	FERIAL SAFETY DATA SHEET	MSDS #: Product Code:	IC1858-0201 2966B
SECTION 8 EXPOSURE CONTR	<b>ROLS / PERSONAL PROTECTION</b>		
<b>Exposure Guidelines:</b> Not establis	hed for this ink. (See also SECTION 3)		
	e ventilation.		
Personal Protection Equipment(s): Respiratory Protection: Required	l 🛛 Not Required		
<b>Eye/Face Protection:</b> Required			
Skin Protection: Required			
	IEMICAL PROPERTIES		
Appearance:	Yellow liquid		
Odor:	Slight odor		
pH:	7 - 10		
Boiling Point/Range(°C):	Not available		
Melting Point/Range(°C):	Not available		
Decomposition Temperature(°C):	Not available		
Flash Point(°C):	60 - 65 (Tag. Closed Cup. Combustion is n	ot sustainable.)	(Estimate)
Flammable (Explosive) Limits:	Not available	/	
Autoignition Temperature(°C):	Not available		
Flammability:	Classified as "combustible liquid" under O Not classified as "flammable" or "combust Not classified as "flammable" under 1999/4	ible" under FHS	A.
Explosive Properties:	None (Estimate)		
Oxidizing Properties:	None (Estimate)		
Vapor Pressure :	Not available		
Vapor Density :	Not available		
Density / Specific Gravity:	1.0 - 1.1		
Water Solubility :	Miscible		
Fat Solubility :	Not available		
Partition Coefficient (n-Octanol/Water	:Not available		
Percent Volatile (%):	60 - 80		
Evaporation Rate:	Not available		
Viscosity (mPa s):	1 - 5		
SECTION 10 STABILITY AND R	EACTIVITY		
Stability:	Stable Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reduc	ing agents	
Hazardous Decomposition Products:	CO, CO <sub>2</sub> , NOx, SOx and Ammonia		
Hazardous Polymerization:	May Occur Will Not Occur		
Conditions to Avoid:	None		

101838-0201
2966B

SECTION 11	TOXICOLOGICAL INFORMATION
Acute Toxicity:	
Inhalation:	
Not availab	le
Ingestion:	
Not availab	le
Eye:	
Slightly irrit	tating (rabbit) (Estimate)
OECD C	Guidelines No.405 (2002), 2004/73/EC Method B5
Skin:	
Mild irritan	t (rabbit) (Estimate)
OECD C	Guidelines No.404 (2002), 2004/73/EC Method B4
Sensitization:	
Non-sensitiz	zer (mouse) (Estimate)
OECD C	Guidelines No.429 (2002), 2004/73/EC Method B42
Mutagenicity:	
Ames test: 1	Negative (S. typhimurium & E. Coli)
<b>Reproductive Tox</b>	icity:
Not availab	le
Carcinogenicity:	
Not availab	e
Others:	
Not availab	le

			Page 6 of 8
Canon		MSDS #:	IC1858-0201
Culton	MATERIAL SAFETY DATA SHEET	Product Code:	2966B
SECTION 12 E	COLOGICAL INFORMATION		
Mobility:	Not available		
Persistence			
/ Degradability:	Not available		
<b>Bioaccumulation:</b>	Not available		
Ecotoxicity:	Not available		
Other Adverse Effe	cts: Not available		
Method of Disposal			
Disposal should b	be subject to federal, state and local laws.		
SECTION 14 T	RANSPORT INFORMATION		
UN #:	None		
UN Shipping Name	None		
UN Classification:	None		
UN Packing Group:	None		
Marine Pollutant:	☐ Yes Chemical name (wt%): ⊠ No		
Special Precautions	None		
SECTION 15 R	EGULATORY INFORMATION		
< EU Information >			
Information on the	Label:		
Symbol & Indic	ation: Not required		
<b>R-Phrase:</b>			
Not required S-Phrase:			
S-Phrase: Not required			
Dangerous Com Not required	ponent(s):		
Special Precauti	ons under 1999/45/EC Annex V:		
Safety data sh	eet available for professional user on request.		
Specific Provisions	n Relation to Protection of Man or the Environment:		
76/769/EEC:	Not regulated		
(EC)2037/2000:	Not regulated		
(EC)689/2008:	Not regulated		
Others:	None		

			Page 7 of 8
Canon		MSDS #:	IC1858-020
Canon	MATERIAL SAFETY DATA SHEET	Product Code:	2966
< USA Information >			
Information on the Labelun	der OSHA HCS:		
Signal Word: Not requ	ired		
Hazard warning: COMBUSTIBLE LIQU VAPOR OR MIST MA	JID AND VAPOR. Y CAUSE RESPIRATORY TRACT AND EYE IRRIT	ATION.	
Safety Advice: Not required			
Hazardous Component(s Not required	):		
SARA Title III §313: <u>Chemical Name</u>		Weight %	, )
None			
California Proposition 65:			
Chemical Name		Weight %	, )
None			
< Canada Information > WHMIS Controlled Prod	<b>uct:</b> <u>Not applicable (Manufactured article)</u>		
< Australia Information > Statement of Hazardous I	Nature: Not classified as hazardous according to criteria	a of NOHSC.	
SECTION 16 OTHER I	NFORMATION		
<r list="" phrase=""></r>			
R11: Highly flammable.			
R36: Irritating to eyes.			
	age to eves		
R41: Risk of serious dam	drowsiness and dizziness.		

**SECTION 15** 

<Term explanation> Estimate: Estimate based on data of similar ink or the ingredient(s).

# Canon

Page 8 of 8 MSDS #: <u>IC1858-0201</u> Product Code: 2966B

#### Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)689/2008, (EC)1907/2006
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union.

- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.
- EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.
- DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.
- TWA: Time Weighted Average.
- STEL: Short Term Exposure Limit.
- IARC: International Agency for Research on Cancer.
- NTP: National Toxicology Program (USA).
- OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).
- FHSA: Federal Hazardous Substances Act (USA).
- WHMIS: Workplace Hazardous Materials Information System.
- NOHSC: National Occupational Health and Safety Commission.
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.