

MSDS #:

Product Code:

Page 1 of 7 TN1169-0305

9629A

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon C-EXV 11 Black Toner

Product Code: 9629A Company Name: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 HAZARDS IDENTIFICATION

EU Classification: Not classified as dangerous.

Emergency Overview: Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May cause slight irritation.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

SECTION 3	COMPOSITION/INFORMATION ON INGREDIENTS						
< Ingredient(s) > Chemical Name / Generic Name	CAS # / EC #	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Polyester resin	Confidential	45-55	None/ None	Not established	Not established	Not established	Not established
Ferrite including zinc	Confidential	40-50 (as Zn: 0-0.4)	None/ None	Not established	Not established	Not established	Not established
Amorphous silica	7631-86-9/ 231-545-4	1-2	None/ None	20 mppcf, 80 (mg/m ³)/%SiO ₂	Not established	Not established	4 mg/m ³ (Inhalable fraction)

< Carcinogen >

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) 1272/2008.

< PBT substance and vPvB substance >

No component of this toner is a PBT or vPvB substance under Regulation (EC)1907/2006.

MSDS #:

Product Code:

Page 2 of 7 TN1169-0305

9629A

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children. Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus. For more information, please refer to the instruction of this product.

MSDS #:

Product Code:

Page 3 of 7 TN1169-0305 9629A

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:					
USA OSHA PEL (TWA ACGIH TLV (TWA): DFG MAK: (Also refer to SECTION	10 mg/m ³ (4 mg/m ³ (Total dust), 5 mg/m³ (Respirable fraction) Inhalable fraction), 3 mg/m³ (Respirable fraction) Inhalable fraction), 1.5 mg/m³ (Respirable fraction)			
Engineering Controls: Use adequate ventilation	1.				
Personal Protection Equip	ment(s):				
Respiratory Protection	l uired				
Eye/Face Protection:	☐ Required ☑ Not Req				
Skin Protection:	☐ Required ☑ Not Required				
SECTION 9 PHYSIC	CAL AND CI	HEMICAL PROPERTIES			
Appearance:		Black fine powder			
Odor:		Slight plastic odor			
pH:		Not applicable			
Boiling Point/Range(°C):		Not applicable			
Melting Point/Range(°C):		100-150 (Softening point)			
Decomposition Temperatu	re(°C):	> 200			
Flash Point(°C):		Not applicable			
Flammable (Explosive) Lir	nits:	Not applicable			
Autoignition Temperature	(°C):	Not available			
Flammability:		Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))			
Explosive Properties:		Can form explosive dust-air mixtures when finely dispersed in air.			
Oxidizing Properties:		Not available			
Vapor Pressure:		Not applicable			
Vapor Density:		Not applicable			
Density / Specific Gravity:		1.4-1.8			
Water Solubility:		Negligible			
Fat Solubility:		Partially soluble in toluene and xylene.			
Partition Coefficient (n-Oc	tanol/Water)	: Not applicable			
Percent Volatile:		Negligible			
Evaporation Rate:		Not applicable			
Viscosity (mPa s):		Not applicable			

MSDS #:

Product Code:

Page 4 of 7 TN1169-0305

9629A

SECTION 10 STABILITY AND REACTIVITY ■ Stable **Stability:** ☐ Unstable **Conditions to Avoid:** None **Materials to Avoid:** Strong oxidizers Hazardous Decomposition Products: CO, CO2 **Hazardous Polymerization:** ☐ May Occur Will Not Occur **Conditions to Avoid: SECTION 11** TOXICOLOGICAL INFORMATION **Acute Toxicity: Inhalation:** Not available **Ingestion:** Estimate: Rat, LD50 > 2000 mg/kg (See SECTION 16) Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16) Skin: Estimate: Rabbit, mild irritant (See SECTION 16) **Sensitization:** Estimate: skin: Non-sensitizing (See SECTION 16) **Mutagenicity:** Ames Test (S. typhimurium, E. coli): Negative **Reproductive Toxicity:** Not available Carcinogenicity:

Others:

Chronic effects:

Not available

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m^3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m^3 , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m^3 .

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

MSDS #:

Page 5 of 7 TN1169-0305

Product Code: 9629A

SECTION 12 ECOLOG	SICAL INFORMATION					
Mobility:	Not available					
Persistence / Degradability:	Not available					
Bioaccumulation:	Not available					
Ecotoxicity:	Estimate: Fish, 96h LL50 > 1000 mg/l (WAF) Estimate: Crustaceans, 48h EL50 > 1000 mg/l (WAF) Estimate: Algae, EbL50(72h), ErL50(0-72h) > 1000 mg/l (WAF) (See SECTION 16)					
Other Adverse Effects:	Not available					
SECTION 13 DISPOSA	L CONSIDERATIONS					
Method of Disposal: DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state and local laws.						
SECTION 14 TRANSP	ORT INFORMATION					
UN #: None						
UN Shipping Name: None						
UN Classification: None						
UN Packing Group: None						
Marine Pollutant: ☐ Yes ☐ No	Chemical name (wt%):					
Special Precautions: None						
SECTION 15 REGULA	TORY INFORMATION					
< EU Information >						
Information on the Label: Symbol & Indication: No	ot required					
R-Phrase:	or required					
Not required						
S-Phrase: Not required						
Dangerous Component(s): Not required						
Special Precautions under 1999/45/EC Annex V: Not required						
Specific Provisions in Relation to Protection of Man or the Environment:						
(EC) No 1907/2006 Annex XVII (Restrictions):						
Not regu	llated					
(EC) No 2037/2000: Not regu	ılated					
(EC) No 689/2008:						
Not regu	lated					
Others: None						



MSDS #:

Product Code:

Page 6 of 7 TN1169-0305

9629A

< USA Information >

Information on the Label under OSHA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

"Zinc Compounds" 40-50 (as Zn) (0-0.2)

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Revised information from the previous version: SECTION 1, 3, 8, 11, 12 and 15

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive (EC) No 1907/2006 Annex XVII (Restrictions), 1999/45/EC
- EU Regulation (EC) No 2037/2000, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]



MSDS #:

Product Code:

Page 7 of 7 TN1169-0305

9629A

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

 $DFG\ MAK:\ MAK (Maximale\ Arbeitsplatz-Konzentration)\ under\ Deutsche\ Forschungsgemeinschaft.$

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.