

Page 1 of 7
MSDS #: TC1602-0201

Product Code: 1975B / R74-8003

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Cartridge 715 ( for Laser Beam Printer )

**Product Code:** 1975B / R74-8003

**Company Name:** Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 HAZARDS IDENTIFICATION

**EU Classification:** Not classified as dangerous.

Emergency Overview: Black fine powder, slight plastic odor.

# **Potential Health Effects and Symptoms:**

#### **Inhalation:**

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

#### **Ingestion:**

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

COMPOSITION/INFORMATION ON INGREDIENTS

None/ None

#### Eye:

May cause transient slight irritation.

#### Skin:

SECTION 3

May be non-irritant.

# **Chronic Effects:**

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

#### Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	45-55	None/ None	Not established	Not established	Not established	Not established
Ferrite including zinc	Confidential	40-50 (as Zn: 0-0.7)	None/ None	Not established	Not established	Not established	Not established

20 mppcf,

 $80 \, (\text{mg/m}^3) / \% \, \text{SiO}_2$ 

Not established

Not established

 $4 \text{ mg/m}^3$ 

(Inhalable fraction)

#### < Carcinogen >

Amorphous silica

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### < PBT substance and vPvB substance >

7631-86-9/

231-545-4

No component of this toner is a PBT or vPvB subtance under Regulation (EC)1907/2006.

1-2

Page 2 of 7 TC1602-0201

Product Code: 1975B / R74-8003

MSDS #:

# SECTION 4 FIRST AID MEASURES

#### First Aid Measures:

#### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

#### Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

#### Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

#### **Note to Physicians:**

None

#### SECTION 5 FIRE FIGHTING MEASURES

# **Fire Fighting Measures:**

#### **Extinguishing Media:**

CO2, water, dry chemicals

#### **Unsuitable Extinguishing Media:**

None

# **Special Fire Fighting Procedures:**

None

#### **Unusual Fire and Explosion Hazards:**

Can form explosive dust-air mixtures when finely dispersed in air.

#### Fire and Explosive Properties (See also SECTION 9):

#### **Hazardous Combustion Products:**

CO2, CO

# **Other Properties:**

Not available

## SECTION 6 ACCIDENTAL RELEASE MEASURES

# **Personal Precautions:**

Avoid breathing dust.

# **Environmental Precautions:**

Do not wash away into sewer.

#### **Method for Cleaning Up:**

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

# SECTION 7 HANDLING AND STORAGE

#### Handling:

Avoid breathing dust.

Use with adequate ventilation.

### Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

#### **Specific Uses:**

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.



Page 3 of 7 TC1602-0201

MSDS #: MATERIAL SAFETY DATA SHEET Product Code: 1975B / R74-8003

# **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION Exposure Guidelines:** USA OSHA PEL (TWA): 15 mg/m<sup>3</sup> (Total dust), 5 mg/m<sup>3</sup> (Respirable fraction) ACGIH TLV (TWA): 10 mg/m<sup>3</sup> (Inhalable fraction), 3 mg/m<sup>3</sup> (Respirable fraction) 4 mg/m<sup>3</sup> (Inhalable fraction), 1.5 mg/m<sup>3</sup> (Respirable fraction) DFG (MAK): (Also refer to SECTION 3) **Engineering Controls:** Use adequate ventilation. **Personal Protection Equipment(s): Respiratory Protection:** $\square$ Required Not Required

	Not Required				
<b>Eye/Face Protection:</b>	Required				
	Not Required				
<b>Skin Protection:</b>	Required				
	☑ Not Required				
SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES					
Appearance:	Black fine powder				
Odor:	Slight plastic odor				
pH:	Not applicable				
Boiling Point/Range( $^{\circ}$ C):	Not applicable				
Melting Point/Range(°C):	100-150 (Softening point)				
<b>Decomposition Temperature</b>	e(°C): > 200				
Flash Point(°C):	Not applicable				
Flammable (Explosive) Lim	its: Not applicable				
<b>Autoignition Temperature</b> (°	PC): Not available				
Flammability:	Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))				
<b>Explosive Properties:</b>	Can form explosive dust-air mixtures when finely dispersed in air.				
Oxidizing Properties:	Not available				
Vapor Pressure:	Not applicable				
Vapor Density:	Not applicable				
Density / Specific Gravity:	1.4-1.8				
Water Solubility:	Negligible				
Fat Solubility:	Partially soluble in toluene and xylene.				
Partition Coefficient (n-Octanol/Water): Not applicable					
Percent Volatile:	Negligible				
<b>Evaporation Rate:</b>	Not applicable				
17 ( D)	NY constraints				

Viscosity (mPa s): Not applicable

Revised: June 20, 2008 Date of Issue: September 14, 2007

Page 4 of 7 MSDS #: TC1602-0201 Product Code: 1975B / R74-8003

SECTION 10 STABILITY AND REACTIVITY					
Stability:	<ul><li></li></ul>				
Conditions to Avoid:	None				
Materials to Avoid:	Strong oxidizers				
Hazardous Decomposition Products:	CO, CO2				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				
SECTION 11 TOXICOLOGICAL INFORMATION					
Acute Toxicity: Inhalation:  Not available					
Ingestion: Estimate: Rat, LD50 > 2000 mg/kg (See SECTION 16)					
Eye: Estimate: Rabbit, transient sligh	t conjunctival irritation only. (See SECTION 16)				
Skin:					
Estimate: Rabbit, non-irritant (S	ee SECTION 16)				
Sensitization: Estimate: skin: Non-sensitizing	(See SECTION 16)				
Mutagenicity: Ames Test (S. typhimurium, E.	coli): Negative				
Reproductive Toxicity: Not available					
Carcinogenicity:  Not available					
Others: Chronic effects:					

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m<sup>3</sup> which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m<sup>3</sup>, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16  $mg/m^3$ .

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Date of Issue: Revised: June 20, 2008 September 14, 2007

(EC)304/2003: Not regulated

None

Others:

Page 5 of 7 TC1602-0201

MSDS #: TC1602-0201

MATERIAL SAFETY DATA SHEET Product Code: 1975B / R74-8003

**SECTION 12 ECOLOGICAL INFORMATION Mobility:** Not available Persistence / Degradability: Not available **Bioaccumulation:** Not available Estimate: Fish, 96h LL50 > 1000 mg/l (WAF) **Ecotoxicity:** Estimate: Crustaceans, 48h EL50 > 1000 mg/l (WAF) Estimate: Algae, EbL50(72h), ErL50(0-72h) > 1000 mg/l (WAF) (See SECTION 16) **Other Adverse Effects:** Not available **SECTION 13** DISPOSAL CONSIDERATIONS Method of Disposal: DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state and local laws. **SECTION 14** TRANSPORT INFORMATION UN #: 2807 UN Shipping Name: Magnetized material **UN Classification:** 9 **UN Packing Group:** None **Marine Pollutant:** ☐ Yes Chemical name (wt%): No No Special Precautions: 13 or more of these products shipped together, by air, are regulated as magnetized material. **SECTION 15** REGULATORY INFORMATION < EU Information > **Information on the Label:** Symbol & Indication: Not required **R-Phrase:** Not required S-Phrase: Not required **Dangerous Component(s):** Not required Special Precautions under 1999/45/EC Annex V: Not required Specific Provisions in Relation to Protection of Man or the Environment: Not regulated 76/769/EEC: (EC)2037/2000: Not regulated



Page 6 of 7 TC1602-0201

MSDS #: TC1602-0201 Product Code: 1975B / R74-8003

#### < USA Information >

#### **Information on the Label under OSHA:**

Signal Word: Not required

**Hazard warning:** 

Not required

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

**SARA Title III §313:** 

Chemical Name Weight %

"Zinc compounds" 40-50

"Zinc compounds" 40-50 (as Zn) (0-0.3)

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

**Statement of Hazardous Nature:** Not classified as hazardous according to criteria of NOHSC.

# SECTION 16 OTHER INFORMATION

Revised information from the previous version: SECTION 11

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

#### **Literature References:**

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003, (EC)1907/2006
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]



Page 7 of 7

MSDS #: TC1602-0201

Product Code: 1975B / R74-8003

#### **Abbreviations:**

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA). WAF: Water Accommodated Fraction

LL: Lethal Loading rate EL: Effective Loading rate

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.