SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

	VIPAN I/UNDERIAKING			
Product Identifier:				
Product Name:	Canon Cartridge 719 H (for Laser Beam Printer)			
Product Code:	3480B / R00-2013			
Relevant Identified Us	ses: Toner for electrophotographic apparatus			
Details of Supplier of	Safety Data Sheet:			
Supplier:	Canon Europa NV			
Address:	Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands			
Telephone Number:	+31 20 5458545, +31 20 5458222			
E-mail Address:	www.canon-europe.com, ceu-Reach@canon-europe.com			
Emergency Telephone	e Number: DENMARK: +45 82 12 12 12; GERMANY: +49 30 19240, +49 761 19240; BELGIUM & NETHERLANDS: +32 70 245 245;FRANCE: +33 1 40 05 48 48; UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31			
Manufacturer:	Canon Inc.			
Address:	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan			
US Regulatory Status <u>Not classified as ha</u> US Label Elements un Signal Word: Hazard Warning: Safety Advice: Hazardous Compor	azardous. ader OSHA HCS: Not required Not required Not required			
EU Classification und				
Not classified as da				
EU Label Elements un				
Symbol & Indicatio R-Phrase:				
	Not required			
S-Phrase:	Not required			
Dangerous Compon	nent: Not required			
Applicable Label El Not required	lements in accordance with Annex V to 1999/45/EC:			
Other Hazards: None				



SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture: <u>Mixture</u> Ingredient(s):

Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration	67/548/EI	EC	EU Classificatio (EC) No 1 Hazard Class/	n according to 272/2008	Note to Other
		Range (%)	Symbol/ Indication of Danger	R-Phrase ^{*1}	Hazard Class/ Category Code	Hazard Statement ^{*1}	Hazards*2
Styrene acrylate copolymer	Confidential	45-55	None	None	None	None	
Ferrite including zinc	Confidential	40-50 (as Zn: 0-0.7)	None	None	None	None	
Amorphous silica	7631-86-9/ 231-545-4	1-3	None	None	None	None	(1)

*1 Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

*2 The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

(3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

Carcinogen(s)

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.



SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. **Skin:**

Wash with soap and water. If irritation persists, obtain medical advice.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Most Important Symptoms and Effects, both Acute and Delayed:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Skin:

May be non-irritant.

Eye:

May cause transient slight irritation.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Hazardous Combustion Products:

<u>CO2, CO</u>

Advice for Fire-fighters:

Wear gloves, glasses, a mask if necessary.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid breathing dust. Wash thoroughly after handling.

Environmental Precautions:

Do not wash away into sewer.

Methods and Material for Containment and Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Precautions for Safe Handling:

Avoid breathing dust. Wash thoroughly after handling. Use with adequate ventilation.

Conditions for Safe Storage, Including Any Incompatibilities:

Keep out of the reach of children. Keep away from oxidizing materials.

Specific End Uses:

Toner for electrophotographic apparatus. For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

ntrol Parameters:	USA	ACGIH TLV	EU OEL	DFG MAK
	OSHA PEL			
Product (Toner)	PNOR: TWA 15 mg/m ³ (Total dust), TWA 5 mg/m ³ (Respirable fraction)	PNOS: TWA 10 mg/m ³ (Inhalable fraction), TWA 3 mg/m ³ (Respirable fraction)	Not established	Dust: 4 mg/m ³ (Inhalable fraction), 1.5 mg/m ³ (Respirable fraction)
Amorphous silica	20 mppcf, 80 (mg/m ³)/%SiO ₂	Not established	Not established	Not established

Exposure Controls:

Engineering Controls:

No special ventilation equipment is needed under intended use of this product.

Individual Protection Measures:

Eye/Face Protection:	☐ Required ⊠ Not Required
Skin Protection:	☐ Required ☑ Not Required
Respiratory Protection	Required



SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Che	emical Properties:
Appearance:	Black fine powder
Odor:	Slight plastic odor
pH:	Not applicable
Melting Point/Freezing Point (°C):	100-150 (Softening point)
Initial Boiling Point and Boiling Range (°C):	Not applicable
Flash Point(°C):	Not applicable
Evaporation Rate:	Not applicable
Flammability:	Estimate: Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids)) (See SECTION 16)
Upper/Lower Flammable or Explosive Limits:	Not applicable
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Relative Density:	1.4-1.8
Water Solubility:	Negligible
Fat Solubility:	Partially soluble in toluene and xylene.
Partition Coefficient (n-Octanol/Wate	er): Not applicable
Auto-ignition Temperature (°C):	Not available
Decomposition Temperature (°C):	> 200
Viscosity (mPa s):	Not applicable
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.
Oxidizing Properties:	Not available
Other Information:	Not available
SECTION 10 STABILITY AND R	EACTIVITY

ECTION IV STADILITT AND REACTIVITT			
Reactivity:	None		
Chemical Stability:	⊠ Stable □ Unstable		
Possibility of Hazardous Reactions:	None		
Conditions to Avoid:	None		
Incompatible Materials:	Strong oxidizers		
Hazardous Decomposition Products:	<u>CO, CO2</u>		



EECTION 11 TOXICOLOGICAL INFORMATION Information on Toxicological Effects: Acute Toxicity: Inhalation: Not available Ingestion: Estimate: Rat, LD50 > 2000 mg/kg (See SECTION 16) Corrosivity/Irritation: Skin: Estimate: Rabbit, non-irritant (See SECTION 16) Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16) Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Arnes Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available Other Information:		
Inhalation: Not available Ingestion: Estimate: Rat, LD50 > 2000 mg/kg (See SECTION 16) Corrosivity/Irritation: Skin: Skin: Estimate: Rabbit, non-irritant (See SECTION 16) Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16) Sensitization: Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available	ECTION 11 TO	DXICOLOGICAL INFORMATION
Inhalation: Not available Ingestion: Estimate: Rat, LD50 > 2000 mg/kg (See SECTION 16) Corrosivity/Irritation: Skin: Estimate: Rabbit, non-irritant (See SECTION 16) Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16) Sensitization: Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		cological Effects:
Not available Ingestion: Estimate: Rat, LD50 > 2000 mg/kg (See SECTION 16) Corrosivity/Irritation: Skin: Estimate: Rabbit, non-irritant (See SECTION 16) Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16) Sensitization: Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available	•	
Ingestion: Estimate: Rat, LD50 > 2000 mg/kg (See SECTION 16) Corrosivity/Irritation: Skin: Estimate: Rabbit, non-irritant (See SECTION 16) Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16) Sensitization: Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		
Estimate: Rat, LD50 > 2000 mg/kg (See SECTION 16) Corrosivity/Irritation: Skin: Estimate: Rabbit, non-irritant (See SECTION 16) Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16) Sensitization: Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		
Corrosivity/Irritation: Skin: Estimate: Rabbit, non-irritant (See SECTION 16) Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16) Sensitization: Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		
Skin: Estimate: Rabbit, non-irritant (See SECTION 16) Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16) Sensitization: Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available	Estimate: Rat,	LD50 > 2000 mg/kg (See SECTION 16)
Estimate: Rabbit, non-irritant (See SECTION 16) Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16) Sensitization: Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		on:
Eye: Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16) Sensitization: Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		
Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16) Sensitization: Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		pit, non-irritant (See SECTION 16)
Sensitization: Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available	•	
Skin: Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		pit, transient slight conjunctival irritation only. (See SECTION 16)
Estimate: Non-sensitizing (See SECTION 16) Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available	S CII STUDIO III	
Repeated Dose Toxicity: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		
Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available	Estimate: Non-	-sensitizing (See SECTION 16)
respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m ³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available	Repeated Dose Tox	icity:
 is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available 		
animals at 4 mg/m ³ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		
mg/m ³ . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		
These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		/m ⁻ , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16
retained in the lung for a prolonged interval. Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available	U	are attributed to "lung quarleading" a generic response to avagesive amounts of any dust
Carcinogenicity: Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available	e	
Not available Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		
Mutagenicity: Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		
Ames Test (S. typhimurium, E. coli): Negative Toxicity for Reproduction: Not available		
Toxicity for Reproduction: Not available	•	
Not available	· · · · · · · · · · · · · · · · · · ·	
	Toxicity for Reprod	luction:
Other Information:	Not available	
	Other Information:	

Not available



MATERIAL SAFETY DATA SHEET

SECTION 12 ECOLOGICAL INFORMATION Toxicity: Estimate: Fish, 96h LL50 > 1000 mg/l (WAF) Estimate: Crustaceans, 48h EL50 > 1000 mg/l (WAF) Estimate: Algae, ErL50 (0-72h) > 1000 mg/l (WAF) (See SECTION 16) Persistence and Degradability: Not available Not available **Bioaccumulative Potential:** Mobility in Soil: Not available **Results of PBT and vPvB** No results that the component(s) of this toner meet(s) the PBT or vPvB criteria **Assessment:** under Regulation (EC) No 1907/2006. **Other Adverse Effects:** Not available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state and local laws.

SECTION 14 TRA	NSPORT INFOR	RMATION			
UN Number:	2807				
UN Proper Shipping N	ame: Magnetize	Magnetized material			
Transport Hazard Cla	ss: <u>9</u>				
Packing Group:	None				
Environmental Hazaro		ified as environmentally hazardous under UN I ollutant under IMDG Code.	Model Regulations and		
Special Precautions for	r User: 47 or more material.	e of these products shipped together, by air, ar	e regulated as magnetized		
< USA Information > SARA Title III §313: <u>Chemical Name</u> "Zinc compounds		ORMATION	Weight % 40-50		
(as Zn) California Proposition <u>Chemical Name</u> None			(0-0.3) 		
< EU Information > Safety, Health and Env	e	8			
(EC) No 1907/2006	Authorisation:	Not regulated			
	Restriction:	Not regulated			
(EC) No 1005/2009	Not regulated				
(EC) No 850/2004:	Not regulated				
(EC) No 689/2008:	Not regulated				
Others:	None				
Chemical Safety Asses	sment under (EC	() No 1907/2006: Not required			



SECTION 15 REGULATORY INFORMATION (continued)

< Canada Information >

WHMIS Controlled Product:

Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

- Literature References:
 - U.S. Department of Labor, 29CFR Part 1910
 - U.S. Environmental Protection Agency, 40CFR Part 372
 - U.S. Consumer Product Safety Commission, 16CFR Part 1500
 - ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
 - U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
 - World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of
 - Chemicals to Humans
 - DFG, List of MAK and BAT Values
 - EU Directive 1999/45/EC
 - EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
 - Canada Workplace Hazardous Materials Information System
 - Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft

TWA: Time Weighted Average

STEL: Short Term Exposure Limit

PNOR: Particulates Not Otherwise Regulated

PNOS: Particles (insoluble or poorly soluble) Not Otherwise Specified

WHMIS: Workplace Hazardous Materials Information System

NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.