

Page 1 of 7 MSDS #: TC1182-0302

MATERIAL SAFETY DATA SHEET Product Code: 1491A / F41-8801

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE **SECTION 1**

COMPANY/UNDERTAKING

Product Name: Canon Cartridge E30

Product Code: 1491A / F41-8801 **Company Name:** Canon Europa N.V.

Address: Bovenkerkerweg 59-61, 1185XB Amstelveen, The Netherlands

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 HAZARDS IDENTIFICATION

EU Classification: Not classified as dangerous.

Emergency Overview: Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Practically non-toxic based on animal testing. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May cause slight irritation.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) >

Chemical Name / Generic Name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	50-60	None/ None	Not established	Not established	Not established	Not established
Iron oxide	1317-61-9/ 215-277-5	40-50	None/ None	Not established	Not established	Not established	Not established
Amorphous silica	7631-86-9/ 231-545-4	1-2	None/ None	20 mppcf, 80 (mg/m³)/%SiO ₂	Not established	Not established	4 mg/m ³ (Inhalable fraction)

< Carcinogen >

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

< PBT substance and vPvB substance >

No component of this toner is a PBT or vPvB substance under Regulation (EC)1907/2006.

August 25, 1992 Revised: Date of Issue: June 22, 2007

MATERIAL SAFETY DATA SHEET

Page 2 of 7 TC1182-0302

Product Code: 1491A / F41-8801

MSDS #:

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.



Page 3 of 7 TC1182-0302

MSDS #:

MATERIAL SAFETY DATA SHEET Product Code: 1491A / F41-8801

EXPOSURE CONTROLS / PERSONAL PROTECTION **SECTION 8**

SECTION EMOS	RE CONTROLS / LENSONNEL I ROTECTION			
Exposure Guidelines:				
USA OSHA PEL (TWA ACGIH TLV (TWA): DFG (MAK): (Also refer to SECTION	15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction) 10 mg/m³ (Inhalable fraction), 3 mg/m³ (Respirable fraction) 4 mg/m³ (Inhalable fraction), 1.5 mg/m³ (Respirable fraction)			
Engineering Controls: <u>Use adequate ventilation</u>				
Personal Protection Equip	ent(s):			
Respiratory Protection	☐ Required ☑ Not Required			
Eye/Face Protection:	Required Not Required			
Skin Protection:	☐ Required ☑ Not Required			
SECTION 9 PHYSIC	AL AND CHEMICAL PROPERTIES			
Appearance:	Black fine powder			
Odor:	Slight plastic odor			
рН:	Not applicable			
Boiling Point/Range(°C):	Not applicable			
Melting Point/Range(°C):	100-150 (Softening point)			
Decomposition Temperatur	e(°C): > 200			
Flash Point(°C):	Not applicable			
Flammable (Explosive) Lin	Not applicable			
Autoignition Temperature(C): Not available			
Flammability:	Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))			
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.			
Oxidizing Properties:	Not available			
Vapor Pressure:	Not applicable			
Vapor Density:	Not applicable			
Density / Specific Gravity:	1.4-1.8			
Water Solubility:	Negligible			
Fat Solubility:	Partially soluble in toluene and xylene.			
Partition Coefficient (n-Oc	unol/Water): Not applicable			
Percent Volatile:	Negligible			
Evaporation Rate:	Not applicable			
Viscosity (mPa s):	Not applicable			

August 25, 1992 June 22, 2007 Date of Issue: Revised:

Canon

MATERIAL SAFETY DATA SHEET

Page 4 of 7 MSDS #: TC1182-0302

Product Code: 1491A / F41-8801 **SECTION 10** STABILITY AND REACTIVITY ■ Stable **Stability:** ☐ Unstable **Conditions to Avoid:** None **Materials to Avoid:** Strong oxidizers Hazardous Decomposition Products: CO, CO2 **Hazardous Polymerization:** ☐ May Occur Will Not Occur **Conditions to Avoid: SECTION 11** TOXICOLOGICAL INFORMATION **Acute Toxicity: Inhalation:** Not available **Ingestion:** Rat, LD50 > 5000 mg/kgEye: Rabbit, transient slight conjunctival irritation only. Skin: Rabbit, moderate irritant **Sensitization:** Guinea pig, skin: Non-sensitizing **Mutagenicity:** Ames Test (S. typhimurium): Negative **Reproductive Toxicity:** Not available Carcinogenicity:

Others:

Chronic effects:

Not available

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m^3 .

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

August 25, 1992 Revised: June 22, 2007 Date of Issue:

Page 5 of 7 TC1182-0302

MSDS #: TC1182-0302

MATERIAL SAFETY DATA SHEET Product Code: 1491A / F41-8801

SECTION 12 EC	COLOGICAL INFORMATION					
Mobility:	Not available					
Persistence / Degrada	ability: Not available					
Bioaccumulation:	Not available					
Ecotoxicity:	Estimate: Fish (Rainbow trout), 96h LL50 > 1000 mg/l (WAF) Estimate: Crustaceans (Daphnia magna), 48h EL50 > 1000 mg/l (WAF) Estimate: Algae (Scenedesmus subspicatus), EbL50(72h), ErL50(0-72h) > 1000 mg/l (WAF) (See SECTION 16)					
Other Adverse Effect	Not available					
SECTION 13 DI	SPOSAL CONSIDERATIONS					
container, unless du	or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner ust-explosion preventing measures are taken. Finely dispersed particles form explosive sposal should be subject to federal, state and local laws.					
SECTION 14 TF	RANSPORT INFORMATION					
UN #: 2	2807					
UN Shipping Name: N	Magnetized material					
UN Classification: 9						
UN Packing Group: N	None					
	Yes Chemical name (wt%): No					
Special Precautions:	06 or more of these products shipped together, by air, are regulated as magnetized material.					
SECTION 15 RI	EGULATORY INFORMATION					
< EU Information >						
Information on the l	Label:					
Symbol & Indicat	tion: Not required					
R-Phrase: Not required						
S-Phrase: Not required						
Dangerous Comp None	onent(s):					
Special Precaution Not required	ns under 1999/45/EC Annex V:					
Specific Provisions i	n Relation to Protection of Man or the Environment:					
76/769/EEC: <u>N</u>	Not regulated					
(EC)2037/2000: <u>N</u>	ot regulated					
(EC)304/2003: <u>N</u>	regulated					
Others:	one					



MATERIAL SAFETY DATA SHEET

Page 6 of 7

MSDS #: TC1182-0302 Product Code: 1491A / F41-8801

< USA Information >

Information on the Label under OSHA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product. Revised information from the previous version: Section 2, 3, 8, 12 and 15

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003, (EC)1907/2006
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]



MATERIAL SAFETY DATA SHEET

Page 7 of 7

MSDS #: TC1182-0302

Product Code: 1491A / F41-8801

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA). WAF: Water Accommodated Fraction

LL: Lethal Loading rate EL: Effective Loading rate

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.