		17111				Tioduct Code.	
				UBSTANCE/PI	REPARATION	AND OF TH	E
	COMPANY						
Product Name:			ck) for CLC3	300			
Product Code:	1451A / F4	41-6802					
Company Name:	Materials a	& Proces	s Developm	ent Center			
Address:							
Use of the Product:	Toner for e	electroph	otographic a	pparatus			
SECTION 2	HAZARDS	IDENTI	FICATION	ſ			
EU Classification:	Not clas	ssified as	dangerous.				
Emergency Overvie	ew: Grayish	fine pow	der, slight p	lastic odor.			
Potential Health Ef	fects and Sy	mptoms	s:				
Inhalation:	_						
	excessive an	nounts of	dust may ca	use physical irri	itation to respira	tory tract.	
Ingestion:	on toxia Ina	action is	a minor rout	to of ontry for in	tended use of th	is product	
Eye:	JII-tOXIC. IIIg	estion is			tended use of th	is product.	
May cause tra	ansient sligh	t irritatio	n.				
Skin:							
May be non-i	irritant.						
Chronic Effects							
Prolonged in	halation of e	xcessive	amounts of	dust may cause	lung damage. Us	se of this produ	ct as intended
does not resu	lt in inhalati	on of exc	cessive amou	ints of dust.			
Medical Condit Not determin		ally knov	wn to be Ag	gravated by Ex	posure:		
SECTION 3	COMPOSI	TION/IN	FORMATI	ON ON INGRI	EDIENTS		
< Ingredient(s) >							
Chemical Name /	CAS #/	Weight	EU Symbol/	USA OSULA DEL	ACGIH TLV	EU ILV	DFG MAK
Generic Name	EC #	<u>%</u>	R-Phrase	OSHA PEL		NT 11 ¹ 1 1	0.1 (3
Ferrite including copper and zinc	Confidential	90-95 (as	None/ None	Not established	Not established	Not established	0.1 mg/m ³ (Copper and its
		Cu:7-15					inorganic
		Zn:8-16)					compounds:
<u> </u>	1000 0 4 4				3.5		Inhalable fraction
Carbon black	1333-86-4/ 215-609-9	< 0.2	None/ None	$3.5 \text{ mg/m}^{\circ}(\text{TWA})$	3.5 mg/m ³ (TWA)	Not established	Not established
	210 000 9						
< Carcinogen >							
Chemical Name				CAS#	Reference		
Carbon black (< 0.2%)				1333-86-			Part 3 of Annex VI
	י תח. ו				to Regulation	(EC) 1272/2008: N	ot listed.
< PBT substance ar	ia vrvB sut)stance >	>				

< PBT substance and vPvB substance >

No component of this toner is a PBT or vPvB subtance under Regulation (EC)1907/2006.



SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children. Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus. For more information, please refer to the instruction of this product.



SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

	15 mg/m ³ (Total dust), 5 mg/m ³ (Respirable fraction)
ACGIH TLV (TWA):	10 mg/m^3 (Inhalable fraction), 3 mg/m^3 (Respirable fraction)
DFG (MAK):	4 mg/m^3 (Inhalable fraction), 1.5 mg/m^3 (Respirable fraction)
(Also refer to SECTION 3)

Engineering Controls:

Use adequate ventilation.

Personal Protection Equipment(s):

Respiratory Protection:	Required
	Not Required
Eye/Face Protection:	Required
	Not Required
Skin Protection:	Required
	Not Required

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Grayish fine powder
Odor:	Slight plastic odor
pH:	Not applicable
Boiling Point/Range(°C):	Not applicable
Melting Point/Range(°C):	100-150 (Softening point)
Decomposition Temperature(°C):	>200
Flash Point(°C):	Not applicable
Flammable (Explosive) Limits:	Not applicable
Autoignition Temperature(°C):	Not available
Flammability:	Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.
Oxidizing Properties:	Not available
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Density / Specific Gravity:	4.0-5.0
Water Solubility:	Negligible
Fat Solubility:	Partially soluble in toluene and xylene.
Partition Coefficient (n-Octanol/Water):	Not applicable
Percent Volatile:	Negligible
Evaporation Rate:	Not applicable
Viscosity (mPa s):	Not applicable

			Page 4 of 7
Canon		MSDS #:	TN1194-0203
Canon	MATERIAL SAFETY DATA SHEET	Product Code:	1451A / F41-6802
SECTION 10 STABILITY	AND REACTIVITY		
Stability:	⊠ Stable □ Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Strong oxidizers		
Hazardous Decomposition Prod	ucts: CO, CO2		
Hazardous Polymerization:	☐ May Occur ⊠ Will Not Occur		
Conditions to Avoid:	None		
SECTION 11 TOXICOLO	GICAL INFORMATION		
Acute Toxicity:			
Inhalation:			
Not available			
Ingestion:			
Estimate: Rat, $LD50 > 500$	00 mg/kg (See SECTION 16)		
Eye:			
Estimate: Rabbit, transient	slight conjunctival irritation only. (See SECTION 16	j)	
Skin:			
Estimate: Rabbit, non-irrita	ant (See SECTION 16)		
Sensitization:			
Not available			
Mutagenicity: Estimate: Ames Test (S. ty	phimurium): Negative (See SECTION 16)		
Reproductive Toxicity: Not available			
Carcinogenicity:			

The IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.

Others:

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m^3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m^3 , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³.

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Canon

SECTION 12 F	ECOLOG	ICAL INFORMATION
Mobility:		Not available
Persistence / Degrad	dability:	Not available
Bioaccumulation:		Not available
Ecotoxicity:		Not available
Other Adverse Effe	cts:	Not available
SECTION 13	DISPOSA	L CONSIDERATIONS
Method of Disposal Disposal should b		to federal, state and local laws.
SECTION 14	ransp	ORT INFORMATION
UN #:	None	
UN Shipping Name	:None	
UN Classification:	None	
UN Packing Group	: None	
Marine Pollutant:	☐ Yes ⊠ No	Chemical name (wt%):
Special Precautions	None	
SECTION 15 F	REGULA	TORY INFORMATION
< EU Information >	>	
Information on the Symbol & Indic		ot required
R-Phrase: Not required		
S-Phrase: Not required		
Dangerous Com Not required	ponent(s):
Special Precauti Not required	ions unde	er 1999/45/EC Annex V:
	s in Relat	ion to Protection of Man or the Environment:
76/769/EEC:	Not regu	lated
(EC)2037/2000:	Not regu	lated
(EC)689/2008:	Not regu	lated
Others:	None	

Signal Word: Not required		
Hazard warning:		
Not required		
Safety Advice:		
Not required		
Hazardous Component(s):		
Not required		
SARA Title III §313:		
Chemical Name		Weight %
"Copper Compounds" and "Zi	nc Compounds"	90-95
(as Cu)	I	(7-15)
(as Zn)		(8-16)
California Proposition 65:		
		Weight %
None		
Canada Information >		
	Not a controlled product	
WHMIS Controlled Product:		
WHMIS Controlled Product: Australia Information >	_ _ _	

SECTION 16 OTHER INFORMATION

Revised information from the previous version: SECTION 3 Estimate: Estimate based on test data on similar toner/developer/drum and/or the raw materials of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices

- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)689/2008, (EC)1907/2006, (EC)1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

WAF: Water Accommodated Fraction

LL: Lethal Loading rate

EL: Effective Loading rate

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.