Product Name : Print Cartridge Black MP C1500E MSDS Number : 888547 Date Prepared : 8/9/2006 Date Modified : 26/11/2010 Date : 29/10/2012



# Safety Data Sheet (ISO form)

#### 1. Product and Company Identification

Product Name	Print Cartridge Black MP C1500E
General Use	:The Image Formation of Printing Machine
MSDS Number	:888547
Company Name	:Ricoh Company,Ltd.
Department	:Environment Safety Center, Corporate Environment Division
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007 Japan
Telephone Number	:055-920-1470, Japan
Telefax Number	:055-920-1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp

#### 2.Composition/Information on Ingredients

Substance or Preparation

Preparation

#### **Chemical Nature**

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Carbon Black	С	1333-86-4	<15
Glycol	Confidential	Confidential	15-25
Glycerin	C3H8O3	56-81-5	<10
Water	H2O	7732-18-5	45-75

This product does not contain any of the following substances as ingredients. Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

#### Hazardous Ingredients Information

Chemical Name : Carbon Black			
CAS Number	: 1333-86-4	EEC Number	: 215-609-9
OSHA <sup>®</sup> Z-Tables (USA)	: 3.5mg/m3	ACGIH-TLV	: 3.5mg/m3
NTP (USA)	: Not listed	IARC <sup>®</sup> Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK	: III 3B	OELs-TWA (Australia)	: 3.0mg/m3
California Proposition 65 (USA)	: Listed		

### **3. Hazards Identification**

The Most Important Hazards Adverse Human Health Effects There are no significant hazards expected with intended use. Environmental Effects There are no significant hazards expected with intended use. Physical and Chemical Hazards There are no significant hazards expected with intended use. Specific Hazards There are no significant hazards expected with intended use. Main Symptoms Acute Inhalation Toxicity Under normal use conditions, there is no possibility to inhale the particle of ink. Acute Oral Toxicity Low acute toxicity in animal experiment. Acute Eye Irritation May be non-irritant. Acute Skin Irritation May be non-irritant. Sensitization From test no apparent significant hazards are expected. Chronic Effect Under normal use conditions, there is no possibility to inhale the particle of ink. Carcinogenicity Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat. This is due to the fact that rat alone showed lung tumor in the animal experiment under very high concentration. During a normal use of this product, design of the cartridge proves it impossible to have powder carbon black released to the air. Intake from the mouth and skin does not show carcinogenicity. The Classification of The Chemical Product This preparation is not claassified as dangerous according to Directive 1999/45/EC

# 4. First-Aid Measures

#### Inhalation

Remove from exposure into fresh air if symptoms are experienced. Seek medical advice.

Skin Contact

Wash thoroughly with soapy water.

Eye Contact

Flush with a large amount of water until particles are removed. Seek medical advice.

Ingestion

Make him drink strong salt water, let him vomit. Seek medical advice.

Notes to a physician

Not applicable

#### 5. Fire-Fighting Measures Extinguishing Media

CO2, dry chemicals, foam or water.

Extinguishing Media to Avoid

Not applicable.

Specific Hazards

Not applicable

Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

#### 6. Accidental Release Measures

**Personal Precautions** 

Take off dirty clothes and wash them or have them dry-cleaned before wearing again.

**Environment Precautions** 

Do not exposure to sewers and watercourses.

Methods for Cleaning Up

If spilled, wipe up with paper or cloth.

## 7. Handling and Storage

Handling **Technical Measures/Precautions** Not applicable Safe Handling Advice Keep away from heat, flame or spark. Do not dismantle cartridge. Storage **Technical Measures** Not applicable **Storage Conditions** Keep out of reach of children. For the sake of quality store in dry and well-ventilated area it should not exceed 35 degrees centigrade for a long time and avoid direct sunlight. **Packaging Material** Not applicable Specific Use(s) The Image Formation of Printing Machine or Copier.

# 8. Exposure Controls/Personal Protection

**Technical Measures** 

Use adequate ventilation. None required with intended use.

## Control Parameters

USA OSHA PEL (TWA) : Not applicable ACGIH TLV (TWA) : Not applicable DFG MAK : Not applicable Personal Protection Respiratory Protections None required in normal use. Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

# 9. Physical and Chemical Properties

Appearanc Physical St Form Colour Odour	ate : Liquid : Liquid : black : No odour	
Information pH : 8-10	Measuring Temp (degrees centigrade) : 25	
	mperatures/Temperature Ranges at Which Changes in Physical State Occur t (degrees centigrade): Not available nt (degrees : Not applicable	
centigrade) Flash Point	ion Temperature (degrees: Not applicable(degrees centigrade): Not applicableroperties (degrees centigrade): This product is considered a nonexplosive material under normal use.	
Vapor Pressure (F Vapor Density(AIR=1) Density (g/cm3)	<ul> <li>a) : Not available</li> <li>: Not available</li> <li>: Approx.1.1</li> <li>Measuring Temp (degrees centigrade) : 23</li> </ul>	
Solubility Water Solubility (g/L) : Soluble Octanol/Water Partition Coefficient Not available Other Information		
Flammability Viscosity (Pa⊯s) Volatile (%)	: Not flammable : Approx.0.008 Measuring Temp (degrees centigrade) :25 : 45-75	

# 10.Stability and Reactivity

Stability Stable Hazardous Reaction There is no significant hazardous reaction expected with intended use.

Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur.

## 11. Toxicological Information

Acute Toxicity Acute Oral Toxicity (LD50) : 5000 or over [mg/kg] (Rat) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (None of hazardous situation will be caused under normal use condition.) Acute Eve Irritation : Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.) Sensitization Acute Allergenic Effects : 0 % (Marmot) (None of hazardous situation will be caused under normal use condition.) Specific Effects Carcinogenicity : Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat. This is due to the fact that rat alone showed lung tumor in the animal experiment under very high concentration. During a normal use of this product, design of the cartridge proves it impossible to have powder carbon black released to the air. Intake from the mouth and skin does not show carcinogenicity.

Mutagenicity : Negative (Ames test)

Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

### 12. Ecological Information

Mobility: No data are available on the adverse effect one environment.Persistence/Degradability: Not availableBioaccumulation: Not available

Ecotoxicity Acute Toxicity for Fish (LC50) : Not available Acute Toxicity for Daphnia (EC50) : Not available Algae Inhibition Test (IC50) : Not available

## 13. Disposal Consideration

General information: Dispose of waste and residues in accordance with local authority requirements. Disposal methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations. Precautions: Not applicable

## 14. Transport Information

International Regulations Land Transport RID/ADR : Not applicable : Not applicable DOT 49 CFR ADNR : Not applicable Sea Transport IMDG Code : Not applicable Air Transport ICAO-TI/IATA-DGR : Not applicable The UN Classification Number : Not applicable : Not applicable Class Specific Precautionary Transport Measures and conditions Avoid direct sunlight in quality. 15.Regulatory Information Regulations **EU** Information Information on the label (1999/45/EC and 67/548/EEC) : Not required Symbols & Indications R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC This product complies with applicable rules and regulations under 76/769/EEC 304/2003/EC Not regulated **US** Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This product complies with all applicable rules and regulations under TSCA. SARA Title III 313 Reportable Ingredients : Not regulated California
Proposition
65: Not regulated Canada Information WHMIS Controlled product : Not a controlled product

### 16.Other Information

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

HMIS Rating : The National Paint and Coating Association (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

Literature References :

ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Cocupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV		: Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices			
OSHA <sup>®</sup> Z-Tables		: US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3			
NTP (USA)		: US Department of Health and Human Services National Toxicology Program Annual Report on Carcinogens			
DFG-MAK		DFG List of MAK and BAT Value			
Symbol (EC)		: EU Directive 67/548/EEC			
91/155/ EEC		: EU Directive 91/155/ EEC			
1999/45/EC Annex V		: EU Directive 1999/45/EC			
76/769/ EEC		: EU Directive 76/769/ EEC			
EC 304/2003		<ul> <li>Regulation (EC) No 304/2003 of the European Parliament and of the Council of 28 January 2003 concerning the export and import of dangerous chemicals</li> </ul>			
WHMIS Contro	olled	: Canada Workplace Hazardous Information System			
product					
OELs-TWA (Australia)		: Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]			
Abbreviation	ns :				
OSHA PEL	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act				
ACGIH-TLV	•	TLV (Threshold Limit Values) under American Conference of Governmental Industrial			
	Hygienis				
REACH	· · ·	1907/2006:Council Regulation concerning the Registration, Evaluation,			
		ation and Restriction of Chemicals			
SVHC ECHA		Substances of Very High Concern			
DFG-MAK	The European Chemicals Agency MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft				
RoHS		Restriction of the use of certain Hazardous Substances in Electrical and Electronic			
	Equipme				
TWA	Time Weighted Average				
IARC	nternat	nternational Agency for Research on Cancer			
NTP	National Toxicology Program				
WHMIS		Workplace Hazardous Information System			
NOHSC	National Occupational Health and Safety Commission Act 1985				

Disclaimer :

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.